

Латунные трубчатые терминалы T, TL, TT, SC, GC, FC, HUP, CL, JM, DT, C, TPE, CP, LYF, GRH, DIN, TU, AWG, AD, L

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93


Киргизия +996(312)96-26-47

эл.почта: skj@nt-rt.ru || сайт: <https://spark.nt-rt.ru/>

T Copper Tube Terminals



T35-10



Parameter 1

PART NO	DIMENSIONS					
	φE	φD	φd	W	B	L
0100104	4.3	4.0	2.4	8.7	7.0	19.0
0100105	5.3	4.0	2.4	8.7	7.0	19.0
0100106	6.4	4.0	2.4	10.0	7.0	20.0
0100204	4.3	4.3	2.7	8.7	7.0	19.0
0100205	5.3	4.3	2.7	8.7	7.0	19.0
0100206	6.4	4.3	2.7	10.3	7.0	21.0
0100208	8.3	4.3	2.7	12.0	7.0	23.0
0100404	4.3	4.8	3.1	8.7	9.5	21.5
0100405	5.3	4.8	3.1	8.7	9.5	21.5
0100406	6.4	4.8	3.1	10.3	9.5	23.5
0100408	8.3	4.8	3.1	12.5	9.5	28.5
0100604	4.3	5.5	3.8	10.3	10.0	26.0
0100605	5.3	5.5	3.8	10.3	10.0	26.0
0100606	6.4	5.5	3.8	10.3	10.0	26.0
0100608	8.3	5.5	3.8	13.9	10.0	29.0
0100610	10.5	5.5	3.8	13.9	10.0	29.0
0101004	4.3	6.9	4.7	11.9	11.5	27.5
0101005	5.3	6.9	4.7	11.9	11.5	27.5
0101006	6.4	6.9	4.7	11.9	11.5	27.5

0101008	8.3	6.9	4.7	13.5	11.5	30.5
0101010	10.5	6.9	4.7	15.0	11.5	30.5
0101012	13.2	6.9	4.7	17.0	11.5	34.0
0101605	5.3	7.8	5.6	12.0	12.0	27.5
0101606	6.4	7.8	5.6	12.0	12.0	27.5
0101608	8.3	7.8	5.6	13.5	12.0	31.0
0101610	10.5	7.8	5.6	16.0	12.0	32.0
0101612	13.2	7.8	5.6	17.0	12.0	37.5
0102506	6.4	9.5	7.1	14.0	13.5	34.0
0102508	8.3	9.5	7.1	14.0	13.5	34.0
0102510	10.5	9.5	7.1	16.0	13.5	37.0
0102512	13.2	9.5	7.1	18.0	13.5	40.0
0103506	6.4	11.0	8.2	16.5	16.0	39.0
0103508	8.3	11.0	8.2	16.5	16.0	39.0
0103510	10.5	11.0	8.2	16.5	16.0	43.0
0103512	13.2	11.0	8.2	18.0	16.0	43.0
0103514	14.5	11.0	8.2	20.0	16.0	48.0
0103516	16.5	11.0	8.2	23.0	16.0	48.0
0104006	6.4	11.2	9.0	17.0	17.0	44.0
0104008	8.3	11.2	9.0	17.0	17.0	44.0
0104010	10.5	11.2	9.0	17.0	17.0	44.0
0104012	13.2	11.2	9.0	18.0	17.0	44.0
0105006	6.4	12.5	9.5	18.0	20.0	45.0
0105008	8.3	12.5	9.5	18.0	20.0	45.0

0105010	10.5	12.5	9.5	18.0	20.0	49.0
0105012	13.2	12.5	9.5	18.0	20.0	49.0
0105014	14.5	12.5	9.5	22.0	20.0	54.0
0105016	16.5	14.0	9.5	25.0	23.0	62.0
0105020	21.0	14.0	9.5	30.0	23.0	68.0
0107008	8.3	15.0	11.5	22.0	20.0	47.6
0107010	10.5	15.0	11.5	22.0	20.0	51.6


Parameter 2

PART NO	DIMENSIONS					
	φE	φD	φd	W	B	L
0107012	13.5	15.0	11.5	22.0	20.0	51.6
0107014	14.5	15.0	11.5	22.0	20.0	62.6
0107016	16.5	15.0	11.5	22.0	20.0	62.6
0107020	21.0	15.0	11.5	30.0	20.0	62.6
0109508	8.3	17.0	13.5	25.0	22.0	55.8
0109510	10.5	17.0	13.5	25.0	22.0	55.8
0109512	13.2	17.0	13.5	25.0	22.0	55.8
0109514	14.5	17.0	13.5	25.0	22.0	66.8
0109516	16.5	17.0	13.5	25.0	22.0	66.8
0109520	21.0	17.0	13.5	28.0	22.0	66.8
0112010	10.5	20.0	15.6	29.0	27.0	71.5
0112012	13.2	20.0	15.6	29.0	27.0	71.5
0112014	14.5	20.0	15.6	29.0	27.0	71.5
0112016	16.5	20.0	15.6	29.0	27.0	71.5
0112020	21.0	20.0	15.6	29.0	27.0	71.5
0115010	10.5	21.0	16.5	30.6	32.0	78.0
0115012	13.2	21.0	16.5	30.6	32.0	78.0
0115014	14.5	21.0	16.5	30.6	32.0	78.0
0115016	16.5	21.0	16.5	30.6	32.0	78.0

0115020	21.0	21.0	16.5	30.6	32.0	78.0
0118510	10.5	23.6	18.4	34.0	34.0	84.0
0118512	13.2	23.6	18.4	34.0	34.0	84.0
0118514	14.5	23.6	18.4	34.0	34.0	84.0
0118516	16.5	23.6	18.4	34.0	34.0	84.0
0118520	21.0	23.6	18.4	34.0	34.0	84.0
0124010	10.5	26.4	21.2	38.5	37.0	90.0
0124012	13.2	26.4	21.2	38.5	37.0	90.0
0124014	14.5	26.4	21.2	38.5	37.0	90.0
0124016	16.5	26.4	21.2	38.5	37.0	90.0
0124020	21.0	26.4	21.2	38.5	37.0	90.0
0130010	10.5	28.6	23.4	42.0	40.0	96.0
0130012	13.2	28.6	23.4	42.0	40.0	96.0
0130014	14.5	28.6	23.4	42.0	40.0	96.0
0130016	16.5	28.6	23.4	42.0	40.0	96.0
0130020	21.0	28.6	23.4	42.0	40.0	96.0
0140010	10.5	32.8	26.8	48.0	37.0	104.7
0140012	13.2	32.8	26.8	48.0	37.0	104.7
0140014	14.5	32.8	26.8	48.0	37.0	104.7
0140016	16.5	32.8	26.8	48.0	37.0	104.7
0140020	21.0	32.8	26.8	48.0	37.0	104.7
0150010	10.5	38.4	29.8	55.0	46.5	115.5
0150012	13.2	38.4	29.8	55.0	46.5	115.5
0150014	14.5	38.4	29.8	55.0	46.5	115.5

0150016	16.5	38.4	29.8	55.0	46.5	115.5
0150020	21.0	38.4	29.8	55.0	46.5	115.5
0163010	10.5	44.7	34.5	64.0	50.0	133.1
0163012	13.2	44.7	34.5	64.0	50.0	133.1
0163014	14.5	44.7	34.5	64.0	50.0	133.1
0163016	16.5	44.7	34.5	64.0	50.0	133.1
0163020	21.0	44.7	34.5	64.0	50.0	133.1

B-T Copper Tube Terminals



Parameter 1

PART NO	DIMENSIONS					
	φE	φD	φd	W	B	L
0200104	4.3	3.8	2.4	8.7	7.0	19.0
0200105	5.3	3.8	2.4	8.7	7.0	19.0
0200106	6.4	3.8	2.4	10.0	7.0	20.0
0200204	4.3	4.0	2.7	8.7	7.0	19.0
0200205	5.3	4.0	2.7	8.7	7.0	19.0
0200206	6.4	4.0	2.7	10.3	7.0	21.0
0200208	8.3	4.0	2.7	12.0	7.0	23.0
0200404	4.3	4.5	3.1	8.7	9.5	21.5
0200405	5.3	4.5	3.1	8.7	9.5	21.5
0200406	6.4	4.5	3.1	10.3	9.5	23.5
0200408	8.3	4.5	3.1	12.5	9.5	28.5
0200604	4.3	5.2	3.8	10.3	10.0	26.0
0200605	5.3	5.2	3.8	10.3	10.0	26.0
0200606	6.4	5.2	3.8	10.3	10.0	26.0
0200608	8.3	5.2	3.8	13.9	10.0	29.0
0200610	10.5	5.2	3.8	13.9	10.0	29.0
0201004	4.3	6.5	4.7	11.9	11.5	27.5
0201005	5.3	6.5	4.7	11.9	11.5	27.5
0201006	6.4	6.5	4.7	11.9	11.5	27.5

0201008	8.3	6.5	4.7	13.5	11.5	30.5
0201010	10.5	6.5	4.7	15.0	11.5	30.5
0201012	13.2	6.5	4.7	17.0	11.5	34.0
0201605	5.3	7.4	5.6	12.0	12.0	27.5
0201606	6.4	7.4	5.6	12.0	12.0	27.5
0201608	8.3	7.4	5.6	13.5	12.0	31.0
0201610	10.5	7.4	5.6	16.0	12.0	32.0
0201612	13.2	7.4	5.6	17.0	12.0	37.5
0202506	6.4	9.1	7.1	14.0	13.5	34.0
0202508	8.3	9.1	7.1	14.0	13.5	34.0
0202510	10.5	9.1	7.1	16.0	13.5	37.0
0202512	13.2	9.1	7.1	18.0	13.5	40.0
0203506	6.4	10.5	8.2	16.0	16.0	39.0
0203508	8.3	10.5	8.2	16.0	16.0	39.0
0203510	10.5	10.5	8.2	16.0	16.0	43.0
0203512	13.2	10.5	8.2	18.0	16.0	43.0
0203514	14.5	10.5	8.2	20.0	16.0	48.0
0203516	16.5	10.5	8.2	23.0	16.0	48.0
0204006	6.4	10.8	9.0	16.3	17.0	44.0
0204008	8.3	10.8	9.0	16.3	17.0	44.0
0204010	10.5	10.8	9.0	16.3	17.0	44.0
0204012	13.2	10.8	9.0	16.3	17.0	44.0
0205006	6.4	12.0	9.5	17.5	20.0	45.0
0205008	8.3	12.0	9.5	17.5	20.0	45.0

0205010	10.5	12.0	9.5	17.5	20.0	49.0
0205012	13.2	12.0	9.5	17.5	20.0	49.0
0205014	14.5	12.0	9.5	22.0	20.0	54.0
0205016	16.5	13.3	9.5	25.0	23.0	62.0
0205020	21.0	13.3	9.5	30.0	23.0	68.0
0207008	8.3	14.4	11.5	21.0	20.0	47.6
0207010	10.5	14.4	11.5	21.0	20.0	51.6


Parameter 2

PART NO	DIMENSIONS					
	φE	φD	φd	W	B	L
0207012	13.2	14.4	11.5	21.0	20.0	51.6
0207014	14.5	14.4	11.5	21.0	20.0	62.6
0207016	16.5	14.4	11.5	21.0	20.0	62.6
0207020	21.0	14.4	11.5	30.0	20.0	62.6
0209508	8.3	16.4	13.5	24.0	22.0	55.8
0209510	10.5	16.4	13.5	24.0	22.0	55.8
0209512	13.2	16.4	13.5	24.0	22.0	55.8
0209514	14.5	16.4	13.5	24.0	22.0	66.8
0209516	16.5	16.4	13.5	24.0	22.0	66.8
0209520	21.0	16.4	13.5	28.0	22.0	66.8
0212010	10.5	19.2	15.6	28.0	27.0	71.5
0212012	13.2	19.2	15.6	28.0	27.0	71.5
0212014	14.5	19.2	15.6	28.0	27.0	71.5
0212016	16.5	19.2	15.6	28.0	27.0	71.5
0212020	21.0	19.2	15.6	28.0	27.0	71.5
0215010	10.5	20.2	16.5	29.5	32.0	78.0
0215012	13.2	20.2	16.5	29.5	32.0	78.0
0215014	14.5	20.2	16.5	29.5	32.0	78.0
0215016	16.5	20.2	16.5	29.5	32.0	78.0

0215020	21.0	20.2	16.5	29.5	32.0	78.0
0218510	10.5	22.7	18.4	33.5	34.0	84.0
0218512	13.2	22.7	18.4	33.5	34.0	84.0
0218514	14.5	22.7	18.4	33.5	34.0	84.0
0218516	16.5	22.7	18.4	33.5	34.0	84.0
0218520	21.0	22.7	18.4	33.5	34.0	84.0
0224010	10.5	25.5	21.2	37.5	37.0	90.0
0224012	13.2	25.5	21.2	37.5	37.0	90.0
0224014	14.5	25.5	21.2	37.5	37.0	90.0
0224016	16.5	25.5	21.2	37.5	37.0	90.0
0224020	21.0	25.5	21.2	37.5	37.0	90.0
0230010	10.5	27.7	23.4	40.8	40.0	96.0
0230012	13.2	27.7	23.4	40.8	40.0	96.0
0230014	14.5	27.7	23.4	40.8	40.0	96.0
0230016	16.5	27.7	23.4	40.8	40.0	96.0
0230020	21.0	27.7	23.4	40.8	40.0	96.0
0240010	10.5	31.7	26.8	46.8	37.0	104.7
0240012	13.2	31.7	26.8	46.8	37.0	104.7
0240014	14.5	31.7	26.8	46.8	37.0	104.7
0240016	16.5	31.7	26.8	46.8	37.0	104.7
0240020	21.0	31.7	26.8	46.8	37.0	104.7
0250010	10.5	36.9	29.8	54.0	46.5	115.5
0250012	13.2	36.9	29.8	54.0	46.5	115.5
0250014	14.5	36.9	29.8	54.0	46.5	115.5

0250016	16.5	36.9	29.8	54.0	46.5	115.5
0250020	21.0	36.9	29.8	54.0	46.5	115.5
0263010	10.5	42.9	34.5	62.0	50.0	133.1
0263012	13.2	42.9	34.5	62.0	50.0	133.1
0263014	14.5	42.9	34.5	62.0	50.0	133.1
0263016	16.5	42.9	34.5	62.0	50.0	133.1
0263020	21.0	42.9	34.5	62.0	50.0	133.1

T-S Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0300104	4.3	3.3	1.8	8.7	7.0	18.0
0300105	5.3	3.3	1.8	8.7	7.0	18.5
0300106	6.4	3.3	1.8	11.0	7.0	20.0
0300204	4.3	4.3	2.7	8.7	7.0	18.0
0300205	5.3	4.3	2.7	8.7	7.0	19.0
0300206	6.4	4.3	2.7	9.0	7.0	20.0
0300208	8.3	4.3	2.7	12.0	7.0	24.0
0300404	4.3	5.0	3.3	8.7	9.5	21.0
0300405	5.3	5.0	3.3	8.7	9.5	21.0
0300406	6.4	5.0	3.3	11.0	9.5	23.0
0300408	8.3	5.0	3.3	14.0	9.5	26.5
0300604	4.3	5.5	3.8	10.3	9.0	23.0
0300605	5.3	5.5	3.8	10.3	9.0	23.0
0300606	6.4	5.5	3.8	10.3	9.5	24.0
0300608	8.3	5.5	3.8	14.0	9.0	27.0
0301005	5.3	6.8	4.7	11.9	10.0	25.5
0301006	6.4	6.8	4.7	11.9	10.0	27.0
0301008	8.3	6.8	4.7	15.0	10.0	30.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0301010	10.5	6.8	4.7	18.0	10.0	34.0
0301605	5.3	7.8	5.6	11.9	11.0	26.5
0301606	6.4	7.8	5.6	11.9	11.0	28.5
0301608	8.3	7.8	5.6	15.0	11.0	31.0
0301610	10.5	7.8	5.6	18.0	11.0	34.5
0301612	13.2	7.8	5.6	20.0	11.0	38.5
0302506	6.4	9.4	7.1	13.5	13.0	31.0
0302508	8.3	9.4	7.1	15.0	13.0	34.0
0302510	10.5	9.4	7.1	18.0	13.0	39.0
0302512	13.0	9.4	7.1	21.0	13.0	41.0
0303506	6.4	11.3	8.7	16.0	16.0	34.0
0303508	8.3	11.3	8.7	16.0	16.0	38.0
0303510	10.5	11.3	8.7	19.0	16.0	42.0
0303512	13.0	11.3	8.7	21.0	16.0	44.0
0303514	14.5	11.3	8.7	21.0	16.0	48.0
0305006	6.4	12.6	9.8	17.9	19.0	41.0
0305008	8.3	12.6	9.8	17.9	19.0	43.0
0305010	10.5	12.6	9.8	20.0	19.0	47.0
0305012	13.0	12.6	9.8	21.0	19.0	51.0


0305014	14.5	12.6	9.8	25.0	19.0	53.0
0305016	16.5	12.6	9.8	26.0	19.0	55.0
0307008	8.3	14.7	11.5	21.5	21.0	47.0
0307010	10.5	14.7	11.5	21.5	21.0	51.0
0307012	13.0	14.7	11.5	21.5	21.0	53.0
0307014	14.5	14.7	11.5	25.0	21.0	58.0
0307016	16.5	14.7	11.5	26.0	21.0	59.0
0309508	8.3	16.9	13.5	24.7	24.0	52.0
0309510	10.5	16.9	13.5	24.7	24.0	55.0
0309512	13.0	16.9	13.5	24.7	24.0	57.0
0309514	14.5	16.9	13.5	24.7	24.0	61.0
0309516	16.5	16.9	13.5	27.0	24.0	64.0
0312008	8.3	19.9	15.6	28.9	26.5	56.0
0312010	10.5	19.9	15.6	28.9	26.5	58.0
0312012	13.0	19.9	15.6	28.9	26.5	63.0
0312014	14.5	19.9	15.6	28.9	26.5	67.0
0312016	16.5	19.9	15.6	28.9	27.5	71.0
0315010	10.5	20.9	16.5	30.4	32.0	69.0
0315012	13.0	20.9	16.5	30.4	32.0	75.0
0315014	14.5	20.9	16.5	30.4	32.0	79.0
0315016	16.5	20.9	16.5	30.4	32.0	79.0
0318510	10.5	23.7	18.8	34.0	34.0	74.0
0318512	13.0	23.7	18.8	34.0	34.0	80.0
0318514	14.5	23.7	18.8	34.0	34.0	84.0

0318516	16.5	23.7	18.8	34.0	34.0	85.0
0324010	10.5	26.2	21.2	38.4	38.0	82.0
0324012	13.0	26.2	21.2	38.4	38.0	86.0
0324014	14.5	26.2	21.2	38.4	38.0	90.0
0324016	16.5	26.2	21.2	38.4	38.0	91.0
0330012	13.0	28.6	23.4	41.7	43.0	93.0
0330014	14.5	28.6	23.4	41.7	43.0	94.0
0330016	16.5	28.6	23.4	41.7	43.0	100.0
0340012	13.0	32.8	26.8	47.8	49.0	110.0
0340014	14.5	32.8	26.8	47.8	49.0	110.0
0340016	16.5	32.8	26.8	47.8	49.0	110.0
0340020	21.0	32.8	26.8	47.8	49.0	116.0
0350016	16.5	38.4	29.8	54.8	50.0	115.0
0350020	21.0	38.4	29.8	54.8	50.0	120.0
0363016	16.5	44.7	34.5	64.4	62.0	128.0
0363020	21.0	44.7	34.5	64.4	62.0	134.0

TL With Long Barrel Copper Tube Terminals



TL35-10



Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0401006	6.4	6.9	4.7	11.9	19.0	35.0
0401008	8.3	6.9	4.7	13.5	19.0	38.0
0401606	6.4	7.8	5.6	11.9	23.0	39.0
0401608	8.3	7.8	5.6	13.6	23.0	42.0
0402508	8.3	9.5	7.1	14.0	29.0	50.0
0402510	10.5	9.5	7.1	16.0	29.0	53.0
0403508	8.3	11.0	8.2	16.5	30.0	54.0
0403510	10.5	11.0	8.2	16.5	30.0	58.0
0405010	10.5	12.5	9.5	17.9	35.0	64.0
0405012	13.0	12.5	9.5	17.9	35.0	64.0
0407010	10.5	15.0	11.5	21.5	38.0	70.0
0407012	13.0	15.0	11.5	21.5	38.0	70.0
0409514	14.5	17.0	13.5	24.7	43.0	88.0
0409516	16.5	17.0	13.5	24.7	43.0	88.0
0412014	14.5	20.0	15.6	28.9	49.0	94.0
0412016	16.5	20.0	15.6	28.9	49.0	94.0
0415014	14.5	21.0	16.5	30.4	56.0	102.0
0415016	16.5	21.0	16.5	30.4	56.0	102.0
0418514	14.5	23.6	18.4	37.0	63.0	113.0



0418516	16.5	23.6	18.4	37.0	63.0	113.0
0424014	14.5	26.4	21.2	38.5	66.0	119.0
0424016	16.5	26.4	21.2	38.5	66.0	119.0
0430014	14.5	28.6	23.4	42.0	77.0	133.0
0440016	16.5	32.8	26.8	48.0	71.7	140.0
0401006S	6.4	6.8	4.7	11.9	18.0	35.0
0401008S	8.3	6.8	4.7	15.0	18.0	38.0
0401606S	6.4	7.8	5.6	11.9	21.5	39.0
0401608S	8.3	7.8	5.6	15.0	21.5	41.5
0402508S	8.3	9.4	7.1	15.0	29.0	50.0
0402510S	10.5	9.4	7.1	18.0	29.0	55.0
0403508S	8.3	11.3	8.7	16.0	31.0	53.0
0403510S	10.5	11.3	8.7	19.0	31.0	57.0
0405010S	10.5	12.6	9.8	20.0	35.0	63.0
0405012S	13.0	12.6	9.8	21.0	35.0	67.0
0407010S	10.5	14.7	11.5	21.5	39.0	69.0
0407012S	13.2	14.7	11.5	21.5	39.0	71.0
0409512S	13.0	16.9	13.5	24.7	46.0	79.0
0409514S	14.5	16.9	13.5	24.7	46.0	83.0
0409516S	16.5	16.9	13.5	27.0	46.0	86.0
0412012S	13.0	19.9	15.6	28.9	51.0	87.0
0412014S	14.5	19.9	15.6	28.9	51.0	91.0
0412016S	16.5	19.9	15.6	28.9	52.0	95.0
0415012S	13.0	20.9	16.5	30.4	56.0	99.0

0415014S	14.5	20.9	16.5	30.4	56.0	103.0
0415016S	16.5	20.9	16.5	30.4	56.0	103.0
0418512S	13.0	23.7	18.8	34.0	62.0	108.0
0418514S	14.5	23.7	18.8	34.0	62.0	112.0
0418516S	16.5	23.7	18.8	34.0	62.0	113.0
0424012S	13.0	26.2	21.2	38.4	66.0	114.0
0424014S	14.5	26.2	21.2	38.4	66.0	118.0
0424016S	16.5	26.2	21.2	38.4	66.0	119.0
0430014S	14.5	28.6	23.4	41.7	75.0	132.0
0430016S	16.5	28.6	23.4	41.7	75.0	132.0
0440016S	16.5	32.8	26.8	47.8	79.0	140.0
0450016S	16.5	38.4	29.8	54.8	78.0	143.0

T45° Copper Tube Terminals



T45-35




Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L1
0501006	6.4	6.9	4.7	11.9	10.0	12.5
0501008	8.3	6.9	4.7	13.5	10.0	15.5
0501606	6.4	7.8	5.6	11.9	11.0	12.0
0501608	8.3	7.8	5.6	13.5	11.0	15.5
0502508	8.3	9.5	7.1	14.0	13.0	16.0
0502510	10.5	9.5	7.1	16.0	13.0	19.0
0503508	8.3	11.0	8.2	16.5	16.0	18.0
0503510	10.5	11.0	8.2	16.5	16.0	22.0
0505010	10.5	12.5	9.5	17.9	19.0	22.0
0505012	13.0	12.5	9.5	17.9	19.0	22.0
0507010	10.5	15.0	11.5	21.5	21.0	22.0
0507012	13.0	15.0	11.5	21.5	21.0	22.0
0509514	14.5	17.0	13.5	24.7	24.0	33.0
0509516	16.5	17.0	13.5	24.7	24.0	33.0
0512014	14.5	20.0	15.6	28.9	27.0	33.0
0512016	16.5	20.0	15.6	28.9	27.0	33.0
0515014	14.5	21.0	16.5	30.4	32.0	33.0
0515016	16.5	21.0	16.5	30.4	32.0	33.0
0518516	16.5	23.6	18.4	34.0	34.0	35.0

0524016	16.5	26.4	21.2	38.5	38.0	35.0
0501006S	6.4	6.8	4.7	11.9	10.0	13.0
0501008S	8.3	6.8	4.7	15.0	10.0	16.0
0501606S	6.4	7.8	5.6	11.9	11.0	13.0
0501608S	8.3	7.8	5.6	15.0	11.0	15.5
0502508S	8.3	9.4	7.1	15.0	13.0	16.0
0502510S	10.5	9.4	7.1	18.0	13.0	21.0
0503508S	8.3	11.3	8.7	16.0	16.0	17.0
0503510S	10.5	11.3	8.7	19.0	16.0	21.0
0505010S	10.5	12.6	9.8	20.0	19.0	21.0
0505012S	13.0	12.6	9.8	21.0	19.0	25.0
0507010S	10.5	14.7	11.5	21.5	21.0	21.0
0507012S	13.0	14.7	11.5	21.5	21.0	23.0
0509514S	14.5	16.9	13.5	24.7	24.0	28.0
0509516S	16.5	16.9	13.5	27.0	24.0	31.0
0512014S	14.5	19.9	15.6	26.5	26.5	30.0
0512016S	16.5	19.9	15.6	28.9	26.5	33.0
0515014S	14.5	20.9	16.5	30.4	32.0	34.0
0515016S	16.5	20.9	16.5	30.4	32.0	34.0
0518516S	16.5	23.7	18.8	34.0	34.0	35.0
0524016S	16.5	26.2	21.2	38.4	38.0	35.0

T90° Copper Tube Terminals




+

Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L1
0601006	6.4	6.9	4.7	11.9	10.5	12.5
0601008	8.3	6.9	4.7	13.5	10.5	15.5
0601606	6.4	7.8	5.6	11.9	11.0	12.0
0601608	8.6	7.8	5.6	13.5	11.0	15.5
0602508	8.3	9.5	7.1	14.0	13.0	16.0
0602510	10.5	9.5	7.1	16.0	13.0	19.0
0603508	8.3	11.0	8.2	16.5	16.0	18.0
0603510	10.5	11.0	8.2	16.5	16.0	22.0
0605010	10.5	12.5	9.5	17.9	19.0	22.0
0605012	13.0	12.5	9.5	17.9	19.0	22.0
0607010	10.5	15.0	11.5	21.5	21.0	22.0
0607012	13.0	15.0	11.5	21.5	21.0	22.0
0609514	14.5	17.0	13.5	24.7	24.0	33.0
0609516	16.5	17.0	13.5	24.7	24.0	33.0
0612014	14.5	20.0	15.6	28.9	27.0	33.0
0612016	16.5	20.0	15.6	28.9	27.0	33.0
0615014	14.5	21.0	16.5	30.4	32.0	33.0
0615016	16.5	21.0	16.5	30.4	32.0	33.0
0618516	16.5	23.6	18.4	34.0	34.0	35.0

0624016	16.5	26.4	21.2	41.0	38.0	35.0
0601006S	6.4	6.8	4.7	11.9	10.0	13.0
0601008S	8.3	6.8	4.7	15.0	10.0	16.0
0601606S	6.4	7.8	5.6	11.9	11.0	13.0
0601608S	8.3	7.8	5.6	15.0	11.0	15.5
0602508S	8.3	9.4	7.1	15.0	13.0	16.0
0602510S	10.5	9.4	7.1	18.0	13.0	21.0
0603508S	8.3	11.3	8.7	16.0	16.0	17.0
0603510S	10.5	11.3	8.7	19.0	16.0	21.0
0605010S	10.5	12.6	9.8	20.0	19.0	21.0
0605012S	13.0	12.6	9.8	21.0	19.0	25.0
0607010S	10.5	14.7	11.5	21.5	21.0	21.0
0607012S	13.0	14.7	11.5	21.5	21.0	23.0
0609514S	14.5	16.9	13.5	24.7	24.0	28.0
0609516S	16.5	16.9	13.5	27.0	24.0	31.0
0612014S	14.5	19.9	15.6	28.9	26.5	30.0
0612016S	16.5	19.9	15.6	28.9	26.5	33.0
0615014S	14.5	20.9	16.5	30.4	32.0	34.0
0615016S	16.5	20.9	16.5	30.4	32.0	34.0
0618516S	16.5	23.7	18.8	34.0	34.0	35.0
0624016S	16.5	26.2	21.2	38.4	38.0	35.0

TT Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0701006	6.4	6.9	4.7	11.9	12.0	28.0
0701008	8.3	6.9	4.7	13.5	12.0	31.0
0701608	6.4	7.8	5.6	11.9	17.0	33.0
0701608	8.3	7.8	5.6	13.5	17.0	37.0
0701610	10.5	7.8	5.6	16.0	17.0	38.0
0702508	8.3	9.5	7.1	14.0	18.0	39.0
0702510	10.5	9.5	7.1	16.0	18.0	42.0
0703508	8.3	11.0	8.2	16.5	19.0	42.0
0703510	10.5	11.0	8.2	16.5	19.0	46.0
0705010	10.5	12.5	9.5	17.9	22.0	51.0
0705012	13.0	12.5	9.5	17.9	22.0	51.0
0707010	10.5	15.0	11.5	22.0	22.0	54.0
0707012	13.0	15.0	11.5	22.0	22.0	54.0
0707014	14.5	17.0	13.5	24.7	27.0	72.0
0709516	16.5	17.0	13.5	24.7	27.0	72.0
0712014	14.5	20.0	15.6	28.9	29.0	74.0
0712016	16.5	20.0	15.6	28.9	29.0	74.0
0715014	14.5	21.0	16.5	30.4	28.0	84.0
0715016	16.5	21.0	16.5	30.4	28.0	84.0


0718516	16.5	23.6	18.4	34.0	42.0	92.0
0724016	16.5	26.4	21.2	41.0	45.0	98.0
0700604S	4.3	5.5	3.8	10.3	11.0	25.0
0700605S	5.3	5.5	3.8	10.3	11.0	25.0
0700606S	6.4	5.5	3.8	10.3	11.0	26.0
0700608S	8.3	5.5	3.8	14.0	11.0	29.0
0701004S	4.3	6.8	4.7	11.9	11.5	26.5
0701005S	5.3	6.8	4.7	11.9	11.5	27.0
0701006S	6.4	6.8	4.7	11.9	11.5	28.5
0701008S	8.3	6.8	4.7	15.0	11.5	31.5
0701010S	10.5	6.8	4.7	18.0	11.5	35.5
0701605S	5.3	7.8	5.6	11.9	16.5	32.0
0701606S	6.4	7.8	5.6	11.9	16.5	34.0
0701608S	8.3	7.8	5.6	15.0	16.5	36.5
0701610S	10.5	7.8	5.6	18.0	16.5	40.0
0702506S	6.4	9.4	7.1	13.5	18.0	36.0
0702508S	8.3	9.4	7.1	15.0	18.0	39.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0702510S	10.5	9.4	7.1	18.0	18.0	44.0
0702512S	13.0	9.4	7.1	21.0	18.0	46.0
0703506S	6.4	11.3	8.7	16.0	19.0	37.0
0703508S	8.3	11.3	8.7	16.0	16.0	38.0
0703510S	10.5	11.3	8.7	19.0	19.0	45.0
0703512S	13.0	11.3	8.7	21.0	19.0	47.0
0705006S	6.4	12.6	9.8	17.9	22.0	44.0
0705008S	8.3	12.6	9.8	17.9	22.0	46.0
0705010S	10.5	12.6	9.8	20.0	22.0	50.0
0705012S	13.0	12.6	9.8	21.0	22.0	54.0
0707008S	8.3	14.7	11.5	21.5	23.0	49.0
0707010S	10.5	14.7	11.5	21.5	25.0	55.0
0707012S	13.0	14.7	11.5	21.5	23.0	55.0
0709508S	8.3	16.9	13.5	24.7	30.0	58.0
0709510S	10.5	16.9	13.5	24.7	30.0	61.0
0709512S	13.0	16.9	13.5	24.7	30.0	63.0
0709514S	14.5	16.9	13.5	24.7	30.0	67.0
0709516S	16.5	16.9	13.5	27.0	30.0	70.0
0712010S	10.5	19.9	15.6	28.9	30.5	62.0

0712012S	13.0	19.9	15.6	28.9	30.5	67.0
0712014S	14.5	19.9	15.6	28.9	30.5	74.0
0712016S	16.5	19.9	15.6	28.9	30.5	74.0
0715010S	10.5	20.9	16.5	30.4	38.0	75.0
0715012S	13.0	20.9	16.5	30.4	38.0	81.0
0715014S	14.5	20.9	16.5	30.4	38.0	85.0
0715016S	16.5	20.9	16.5	30.4	38.0	85.0
0718512S	13.0	23.7	18.8	34.0	41.0	87.0
0718514S	14.5	23.7	18.8	34.0	41.0	91.0
0718516S	16.5	23.7	18.8	34.0	41.0	92.0
0724012S	13.0	26.2	21.2	38.4	45.0	93.0
0724014S	14.5	26.2	21.2	38.4	45.0	97.0
0724016S	16.5	26.2	21.2	38.4	45.0	98.0
0724020S	21.0	26.2	21.2	38.4	45.0	98.0
0730014S	14.5	28.6	23.4	41.7	49.0	100.0
0730016S	16.5	28.6	23.4	41.7	49.0	106.0
0740016S	16.5	32.8	26.8	47.8	54.0	115.0

SC Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0800104	4.2	3.7	1.8	8.0	5.0	16.0
0800105	5.2	3.7	1.8	10.0	5.0	17.0
0800106	6.5	3.7	1.8	10.0	5.0	18.0
0800204	4.2	4.0	2.4	8.0	7.0	18.0
0800205	5.2	4.0	2.4	10.0	7.0	20.0
0800206	6.5	4.0	2.4	10.0	7.0	20.0
0800208	8.4	4.0	2.4	12.5	7.0	23.0
0800404	4.2	4.8	3.1	10.0	7.0	20.0
0800405	5.2	4.8	3.1	10.0	7.0	20.0
0800406	6.5	4.8	3.1	10.0	7.0	20.0
0800408	8.4	4.8	3.1	12.5	7.0	23.0
0800604	4.2	5.5	3.8	10.0	9.0	24.0
0800605	5.2	5.5	3.8	10.0	9.0	24.0
0800606	6.5	5.5	3.8	12.0	9.0	24.0
0800608	8.4	5.5	3.8	12.5	9.0	26.0
0800610	10.5	6.2	4.0	15.0	9.0	28.0
0801005	5.2	6.2	4.5	12.0	9.0	25.0
0801006	6.5	6.2	4.5	12.0	9.0	25.0
0801008	8.4	6.2	4.5	12.5	9.0	27.0

0801010	10.5	6.2	4.5	15.0	9.0	29.0
0801012	13.0	6.2	4.5	17.0	9.0	31.0
0801605	5.2	7.1	5.4	12.0	12.0	30.0
0801606	6.5	7.1	5.4	12.0	12.0	30.0
0801608	8.4	7.1	5.4	12.5	12.0	30.0
0801610	10.5	7.1	5.4	16.0	12.0	33.0
0801612	13.0	7.1	5.4	17.0	12.0	35.0
0802505	5.2	8.8	6.8	13.0	12.0	33.0
0802506	6.5	8.8	6.8	13.0	12.0	33.0
0802508	8.4	8.8	6.8	15.0	12.0	33.0
0802510	10.5	8.8	6.8	18.0	12.0	34.0
0802512	13.0	8.8	6.8	18.0	12.0	35.0
0802514	15.0	8.8	6.8	20.0	12.0	38.0
0803505	5.2	10.6	8.2	16.0	14.0	38.0
0803506	6.5	10.6	8.2	16.0	14.0	38.0
0803508	8.4	10.6	8.2	16.0	14.0	38.0
0803510	10.5	10.6	8.2	18.0	14.0	39.0
0803512	13.0	10.6	8.2	19.0	14.0	40.5
0803514	15.0	10.6	8.2	20.0	14.0	42.0
0805006	6.5	12.4	9.5	17.8	16.0	45.0
0805008	8.4	12.4	9.5	17.8	16.0	45.0
0805010	10.5	12.4	9.5	17.8	16.0	45.0
0805012	13.0	12.4	9.5	20.0	16.0	45.0
0805014	15.0	12.4	9.5	22.0	16.0	46.0

0805016	17.0	12.4	9.5	24.0	16.0	47.0
0807008	8.4	14.7	11.2	21.0	20.0	52.0
0807010	10.5	14.7	11.2	21.0	20.0	52.0
0807012	13.0	14.7	11.2	21.0	20.0	52.0
0807014	15.0	14.7	11.2	21.0	20.0	52.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0807016	17.0	14.7	11.2	25.0	20.0	53.0
0809508	8.4	17.4	13.5	25.0	23.0	58.0
0809510	10.5	17.4	13.5	25.0	23.0	58.0
0809512	13.0	17.4	13.5	25.0	23.0	58.0
0809514	15.0	17.4	13.5	25.0	23.0	58.0
0809516	17.0	17.4	13.5	25.0	23.0	58.0
0812008	8.4	19.4	15.0	28.0	22.0	63.0
0812010	10.5	19.4	15.0	28.0	22.0	63.0
0812012	13.0	19.4	15.0	28.0	22.0	63.0
0812014	15.0	19.4	15.0	28.0	22.0	63.0
0812016	17.0	19.4	15.0	28.0	22.0	63.0
0812020	21.0	19.4	15.0	28.0	22.0	63.0
0815008	8.4	21.2	16.5	30.5	26.0	70.0
0815010	10.5	21.2	16.5	30.5	26.0	70.0
0815012	13.0	21.2	16.5	30.5	26.0	70.0
0815014	15.0	21.2	16.5	30.5	26.0	70.0
0815016	17.0	21.2	16.5	30.5	26.0	70.0
0815020	21.0	21.2	16.5	30.5	26.0	70.0
0818510	10.5	23.5	18.5	34.0	32.0	75.0


0818512	13.0	23.5	18.5	34.0	32.0	75.0
0818514	15.0	23.5	18.5	34.0	32.0	75.0
0818516	17.0	23.5	18.5	34.0	32.0	75.0
0818520	21.0	23.5	18.5	34.0	32.0	75.0
0824010	10.5	26.5	21.0	38.5	38.0	90.0
0824012	13.0	26.5	21.0	38.5	38.0	90.0
0824014	15.0	26.5	21.0	38.5	38.0	90.0
0824016	17.0	26.5	21.0	38.5	38.0	90.0
0824018	19.0	26.5	21.0	38.5	38.0	90.0
0824020	21.0	26.5	21.0	38.5	38.0	90.0
0830010	10.5	30.0	23.5	43.0	42.0	98.0
0830012	13.0	30.0	23.5	43.0	42.0	98.0
0830014	15.0	30.0	23.5	43.0	42.0	98.0
0830016	17.0	30.0	23.5	43.0	42.0	98.0
0830020	21.0	30.0	23.5	43.0	42.0	98.0
0840010	10.5	36.5	28.5	52.0	44.0	110.0
0840012	13.0	36.5	28.5	52.0	44.0	110.0
0840014	15.0	36.5	28.5	52.0	44.0	110.0
0840016	17.0	36.5	28.5	52.0	44.0	110.0
0840020	21.0	36.5	28.5	52.0	44.0	110.0
0850010	10.5	39.0	30.0	56.0	48.0	120.0
0850012	13.0	39.0	30.0	56.0	48.0	120.0
0850014	15.0	39.0	30.0	56.0	48.0	120.0
0850016	17.0	39.0	30.0	56.0	48.0	120.0

0850020	21.0	39.0	30.0	56.0	48.0	120.0
0863010	10.5	45.0	35.0	65.0	56.0	140.0
0863012	13.0	45.0	35.0	65.0	56.0	140.0
0863014	15.0	45.0	35.0	65.0	56.0	140.0
0863016	17.0	45.0	35.0	65.0	56.0	140.0
0863020	21.0	45.0	35.0	65.0	56.0	140.0

SC-NH Copper Tube Terminals Without Checking Hole



SC-NH35-8



Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0901605	5.2	7.1	5.4	12.0	12.0	30.0
0901606	6.5	7.1	5.4	12.0	12.0	30.0
0901608	8.4	7.1	5.4	12.5	12.0	30.0
0901610	10.5	7.1	5.4	16.0	12.0	33.0
0901612	13.0	7.1	5.4	17.0	12.0	35.0
0902505	5.2	8.8	6.8	13.0	12.0	33.0
0902506	6.5	8.8	6.8	13.0	12.0	33.0
0902508	8.4	8.8	6.8	15.0	12.0	33.0
0902510	10.5	8.8	6.8	18.0	12.0	34.0
0902512	13.0	8.8	6.8	18.0	12.0	35.0
0902514	15.0	8.8	6.8	20.0	12.0	38.0
0903505	5.2	10.6	8.2	16.0	14.0	38.0
0903506	6.5	10.6	8.2	16.0	14.0	38.0
0903508	8.4	10.6	8.2	16.0	14.0	38.0
0903510	10.5	10.6	8.2	18.0	14.0	39.0
0903512	13.0	10.6	8.2	19.0	14.0	40.5
0903514	15.0	10.6	8.2	20.0	14.0	42.0
0905006	6.5	12.4	9.5	17.8	16.0	45.0
0906008	8.4	12.4	9.5	17.8	16.0	45.0


0905010	10.5	12.4	9.5	17.8	16.0	45.0
0905012	13.0	12.4	9.5	20.0	16.0	45.0
0905014	15.0	12.4	9.5	22.0	16.0	46.0
0905016	17.0	12.4	9.5	24.0	16.0	47.0
0907008	8.4	14.7	11.2	21.0	18.0	50.0
0907010	10.5	14.7	11.2	21.0	18.0	50.0
0907012	13.0	14.7	11.2	21.0	18.0	50.0
0907014	15.0	14.7	11.2	21.0	18.0	50.0
0907016	17.0	14.7	11.2	25.0	18.0	51.0
0909508	8.4	17.4	13.5	25.0	20.0	55.0
0909510	10.5	17.4	13.5	25.0	20.0	55.0
0909512	13.0	17.4	13.5	25.0	20.0	55.0
0909514	15.0	17.4	13.5	25.0	20.0	55.0
0909516	17.0	17.4	13.5	25.0	20.0	55.0
0912008	8.4	19.4	15.0	28.0	22.0	63.0
0912010	10.5	19.4	15.0	28.0	22.0	63.0
0912012	13.0	19.4	15.0	28.0	22.0	63.0
0912014	15.0	19.4	15.0	28.0	22.0	63.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
0912016	17.0	19.4	15.0	28.0	22.0	63.0
0912020	21.0	19.4	15.0	28.0	22.0	63.0
0915008	8.4	21.2	16.5	30.5	26.0	70.0
0915010	10.5	21.2	16.5	30.5	26.0	70.0
0915012	13.0	21.2	16.5	30.5	26.0	70.0
0915014	15.0	21.2	16.5	30.5	26.0	70.0
0915016	17.0	21.2	16.5	30.5	26.0	70.0
0915020	21.0	21.2	16.5	30.5	26.0	70.0
0918510	10.5	23.5	18.5	34.0	32.0	75.0
0918512	13.0	23.5	18.5	34.0	32.0	75.0
0918514	15.0	23.5	18.5	34.0	32.0	75.0
0918516	17.0	23.5	18.5	34.0	32.0	75.0
0918520	21.0	23.5	18.5	34.0	32.0	75.0
0924010	10.5	26.5	21.0	38.5	38.0	90.0
0924012	13.0	26.5	21.0	38.5	38.0	90.0
0924014	15.0	26.5	21.0	38.5	38.0	90.0
0924016	17.0	26.5	21.0	38.5	38.0	90.0
0924020	21.0	26.5	21.0	38.5	38.0	90.0
0930010	10.5	30.0	23.5	43.0	42.0	98.0

0930012	13.0	30.0	23.5	43.0	42.0	98.0
0930014	15.0	30.0	23.5	43.0	42.0	98.0
0930016	17.0	30.0	23.5	43.0	42.0	98.0
0930020	21.0	30.0	23.5	43.0	42.0	98.0
0940010	10.5	36.5	28.5	52.0	44.0	110.0
0940012	13.0	36.5	28.5	52.0	44.0	110.0
0940014	15.0	36.5	28.5	52.0	44.0	110.0
0940016	17.0	36.5	28.5	52.0	44.0	110.0
0940020	21.0	36.5	28.5	52.0	44.0	110.0
0950010	10.5	39.0	30.0	56.0	48.0	120.0
0950012	13.0	39.0	30.0	56.0	48.0	120.0
0950014	15.0	39.0	30.0	56.0	48.0	120.0
0950016	17.0	39.0	30.0	56.0	48.0	120.0
0950020	21.0	39.0	30.0	56.0	48.0	120.0
0963010	10.5	45.0	35.0	65.0	56.0	140.0
0963012	13.0	45.0	35.0	65.0	56.0	140.0
0963014	15.0	45.0	35.0	65.0	56.0	140.0
0963016	17.0	45.0	35.0	65.0	56.0	140.0
0963020	21.0	45.0	35.0	65.0	56.0	140.0

A-SC Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	øE	ΦD	Φd	W	B	L
1000104	4.2	3.6	1.8	8.0	5.0	16
1000105	5.2	3.6	1.8	10.0	5.0	17
1000106	6.5	3.6	1.8	10.0	5.0	18
1000204	4.2	3.9	2.4	8.0	7.0	18
1000205	5.2	3.9	2.4	10.0	7.0	20
1000206	6.5	3.9	2.4	10.0	7.0	20
1000208	8.4	3.9	2.4	12.5	7.0	23
1000404	4.2	4.7	3.1	10.0	7.0	20
1000405	5.2	4.7	3.1	10.0	7.0	20
1000406	6.5	4.7	3.1	10.0	7.0	20
1000408	8.4	4.7	3.1	12.5	7.0	23
1000604	4.2	5.4	3.8	10.0	9.0	24
1000605	5.2	5.4	3.8	10.0	9.0	24
1000606	6.5	5.4	3.8	12.0	9.0	24
1000608	8.4	5.4	3.8	12.5	9.0	26
1000610	10.5	6.0	4.0	15.0	9.0	28
1001005	5.2	6.1	4.5	12.0	9.0	25
1001006	6.5	6.1	4.5	12.0	9.0	25
1001008	8.4	6.1	4.5	12.5	9.0	27

1001010	10.5	6.1	4.5	15.0	9.0	29
1001012	13	6.1	4.5	17.0	9.0	31
1001605	5.2	7.0	5.4	12.0	12.0	30
1001606	6.5	7.0	5.4	12.0	12.0	30
1001608	8.4	7.0	5.4	12.5	12.0	30
1001610	10.5	7.0	5.4	16.0	12.0	33
1001612	13	7.0	5.4	17.0	12.0	35
1002505	5.2	8.6	6.8	13.0	12.0	33
1002506	6.5	8.6	6.8	13.0	12.0	33
1002508	8.4	8.6	6.8	15.0	12.0	33
1002510	10.5	8.6	6.8	18.0	12.0	34
1002512	13	8.6	6.8	18.0	12.0	35
1002514	15	8.6	6.8	20.0	12.0	38
1003505	5.2	10.4	8.2	16.0	14.0	38
1003506	6.5	10.4	8.2	16.0	14.0	38
1003508	8.4	10.4	8.2	16.0	14.0	38
1003510	10.5	10.4	8.2	18.0	14.0	39
1003512	13	10.4	8.2	19.0	14.0	40.5
1003514	15	10.4	8.2	20.0	14.0	42
1005006	6.5	12.2	9.5	17.8	16.0	45
1005008	8.4	12.2	9.5	17.8	16.0	45
1005010	10.5	12.2	9.5	17.8	16.0	45
1005012	13	12.2	9.5	20.0	16.0	45
1005014	15	12.2	9.5	22.0	16.0	46

1005016	17	12.2	9.5	24.0	16.0	47
1007008	8.4	14.4	11.2	21.0	20.0	52
1007010	10.5	14.4	11.2	21.0	20.0	52
1007012	13	14.4	11.2	21.0	20.0	52
1007014	15	14.4	11.2	21.0	20.0	52


Parameter 2

PART NO	DIMENSIONS					
	øE	ΦD	Φd	W	B	L
1007016	17	14.4	11.2	25.0	20.0	53
1009508	8.4	17.1	13.5	25.0	23.0	58
1009510	10.5	17.1	13.5	25.0	23.0	58
1009512	13	17.1	13.5	25.0	23.0	58
1009514	15	17.1	13.5	25.0	23.0	58
1009516	17	17.1	13.5	25.0	23.0	58
1012008	8.4	19.0	15	27.5	22.0	63
1012010	10.5	19.0	15	27.5	22.0	63
1212012	13	19.0	15	27.5	22.0	63
1012014	15	19.0	15	27.5	22.0	63
1012016	17	19.0	15	27.5	22.0	63
1012020	21	19.0	15	27.5	22.0	63
1015008	8.4	20.8	16.5	30.0	26.0	70
1015010	10.5	20.8	16.5	30.0	26.0	70
1015012	13	20.8	16.5	30.0	26.0	70
1015014	15	20.8	16.5	30.0	26.0	70
1015016	17	20.8	16.5	30.0	26.0	70
1015020	21	20.8	16.5	30.0	26.0	70
1018510	10.5	23.1	18.5	33.5	32.0	75

1018512	13	23.1	18.5	33.5	32.0	75
1018514	15	23.1	18.5	33.5	32.0	75
1018516	17	23.1	18.5	33.5	32.0	75
1018520	21	23.1	18.5	33.5	32.0	75
1024010	10.5	26.0	21.0	38.0	38.0	90
1024012	13	26.0	21.0	38.0	38.0	90
1024014	15	26.0	21.0	38.0	38.0	90
1024016	17	26.0	21.0	38.0	38.0	90
1024018	19	26.0	21.0	38.0	38.0	90
1024020	21	26.0	21.0	38.0	38.0	90
1030010	10.5	29.4	23.5	43.0	42.0	98
1030012	13	29.4	23.5	43.0	42.0	98
1030014	15	29.4	23.5	43.0	42.0	98
1030016	17	29.4	23.5	43.0	42.0	98
1030020	21	29.4	23.5	43.0	42.0	98
1040010	10.5	35.8	28.5	52.0	44.0	110
1040012	13	35.8	28.5	52.0	44.0	110
1040014	15	35.8	28.5	52.0	44.0	110
1040016	17	35.8	28.5	52.0	44.0	110
1040020	21	35.8	28.5	52.0	44.0	110
1050010	10.5	38.2	30.0	55.0	48.0	120
1050012	13	38.2	30.0	55.0	48.0	120
1050014	15	38.2	30.0	55.0	48.0	120
1050016	17	38.2	30.0	55.0	48.0	120

1050020	21	38.2	30.0	55.0	48.0	120
1063010	10.5	44.1	35.0	63.5	56.0	140
1063012	13	44.1	35.0	63.5	56.0	140
1063014	15	44.1	35.0	63.5	56.0	140
1063016	17	44.1	35.0	63.5	56.0	140
1063020	21	44.1	35.0	63.5	56.0	140

B-SC Copper Tube Terminals



+

Parameter 1

PART NO 2015-2018	DIMENSIONS					
	øE	ΦD	Φd	W	B	L
1100104	4.2	3.4	1.8	8.0	5.0	16.0
1100105	5.2	3.4	1.8	10.0	5.0	17.0
1100106	6.5	3.4	1.8	10.0	5.0	18.0
1100204	4.2	3.7	2.4	8.0	7.0	18.0
1100205	5.2	3.7	2.4	10.0	7.0	20.0
1100206	6.5	3.7	2.4	10.0	7.0	20.0
1100208	8.4	3.7	2.4	12.5	7.0	23.0
1100404	4.2	4.5	3.1	10.0	7.0	20.0
1100405	5.2	4.5	3.1	10.0	7.0	20.0
1100406	6.5	4.5	3.1	10.0	7.0	20.0
1100408	8.4	4.5	3.1	12.5	7.0	23.0
1100604	4.2	5.2	3.8	10.0	9.0	24.0
1100605	5.2	5.2	3.8	10.0	9.0	24.0
1100606	6.5	5.2	3.8	12.0	9.0	24.0
1100608	8.4	5.2	3.8	12.5	9.0	26.0
1100610	10.5	5.9	4.0	15.0	9.0	28.0
1101005	5.2	5.9	4.5	12.0	9.0	25.0
1101006	6.5	5.9	4.5	12.0	9.0	25.0
1101008	8.4	5.9	4.5	12.5	9.0	27.0

1101010	10.5	5.9	4.5	15.0	9.0	29.0
1101012	13.0	5.9	4.5	17.0	9.0	31.0
1101605	5.2	6.8	5.4	12.0	12.0	30.0
1101606	6.5	6.8	5.4	12.0	12.0	30.0
1101608	8.4	6.8	5.4	12.5	12.0	30.0
1101610	10.5	6.8	5.4	16.0	12.0	33.0
1101612	13.0	6.8	5.4	17.0	12.0	35.0
1102505	5.2	8.4	6.8	13.0	12.0	33.0
1102506	6.5	8.4	6.8	13.0	12.0	33.0
1102508	8.4	8.4	6.8	15.0	12.0	33.0
1102510	10.5	8.4	6.8	18.0	12.0	34.0
1102512	13.0	8.4	6.8	18.0	12.0	35.0
1102514	15.0	8.4	6.8	20.0	12.0	38.0
1103505	5.2	10.2	8.2	16.0	14.0	38.0
1103506	6.5	10.2	8.2	16.0	14.0	38.0
1103508	8.4	10.2	8.2	16.0	14.0	38.0
1103510	10.5	10.2	8.2	18.0	14.0	39.0
1103512	13.0	10.2	8.2	19.0	14.0	40.5
1103514	15.0	10.2	8.2	20.0	14.0	42.0
1105006	6.5	11.9	9.5	17.5	16.0	45.0
1105008	8.4	11.9	9.5	17.5	16.0	45.0
1105010	10.5	11.9	9.5	17.5	16.0	45.0
1105012	13.0	11.9	9.5	20.0	16.0	45.0
1105014	15.0	11.9	9.5	22.0	16.0	46.0

1105016	17.0	11.9	9.5	24.0	16.0	47.0
1107008	8.4	14.0	11.2	20.5	20.0	52.0
1107010	10.5	14.0	11.2	20.5	20.0	52.0
1107012	13.0	14.0	11.2	20.5	20.0	52.0
1107014	15.0	14.0	11.2	20.5	20.0	52.0


Parameter 2

PART NO 2015-2018	DIMENSIONS					
	øE	ΦD	Φd	W	B	L
1107016	17.0	14.1	11.2	25.0	20.0	53.0
1109508	8.4	16.7	13.5	24.5	23.0	58.0
1109510	10.5	16.7	13.5	24.5	23.0	58.0
1109512	13.0	16.7	13.5	24.5	23.0	58.0
1109514	15.0	16.7	13.5	24.5	23.0	58.0
1109516	17.0	16.7	13.5	24.5	23.0	58.0
1112008	8.4	18.6	15.0	27.0	22.0	63.0
1112010	10.5	18.6	15.0	27.0	22.0	63.0
1112012	13.0	18.6	15.0	27.0	22.0	63.0
1112014	15.0	18.6	15.0	27.0	22.0	63.0
1112016	17.0	18.6	15.0	27.0	22.0	63.0
1112020	21.0	18.6	15.0	27.0	22.0	63.0
1115008	8.4	20.4	16.5	30.0	26.0	70.0
1115010	10.5	20.4	16.5	30.0	26.0	70.0
1115012	13.0	20.4	16.5	30.0	26.0	70.0
1115014	15.0	20.4	16.5	30.0	26.0	70.0
1115016	17.0	20.4	16.5	30.0	26.0	70.0
1115020	21.0	20.4	16.5	30.0	26.0	70.0
1118510	10.5	22.6	18.5	33.0	32.0	75.0

1118512	13.0	22.6	18.5	33.0	32.0	75.0
1118514	15.0	22.6	18.5	33.0	32.0	75.0
1118516	17.0	22.6	18.5	33.0	32.0	75.0
1118520	21.0	22.6	18.5	33.0	32.0	75.0
1124010	10.5	25.5	21.0	37.2	38.0	90.0
1124012	13.0	25.5	21.0	37.2	38.0	90.0
1124014	15.0	25.5	21.0	37.2	38.0	90.0
1124016	17.0	25.5	21.0	37.2	38.0	90.0
1124020	21.0	25.5	21.0	37.2	38.0	90.0
1130010	10.5	28.8	23.5	42.0	42.0	98.0
1130012	13.0	28.8	23.5	42.0	42.0	98.0
1130014	15.0	28.8	23.5	42.0	42.0	98.0
1130016	17.0	28.8	23.5	42.0	42.0	98.0
1130020	21.0	28.8	23.5	42.0	42.0	98.0
1140010	10.5	35.1	28.5	51.0	44.0	110.0
1140012	13.0	35.1	28.5	51.0	44.0	110.0
1140014	15.0	35.1	28.5	51.0	44.0	110.0
1140016	17.0	35.1	28.5	51.0	44.0	110.0
1140020	21.0	35.1	28.5	51.0	44.0	110.0
1150010	10.5	37.4	30.0	54.5	48.0	120.0
1150012	13.0	37.4	30.0	54.5	48.0	120.0
1150014	15.0	37.4	30.0	54.5	48.0	120.0
1150016	17.0	37.4	30.0	54.5	48.0	120.0
1150020	21.0	37.4	30.0	54.5	48.0	120.0

1163010	10.5	43.2	35.0	63.0	56.0	140.0
1163012	13.0	43.2	35.0	63.0	56.0	140.0
1163014	15.0	43.2	35.0	63.0	56.0	140.0
1163016	17.0	43.2	35.0	63.0	56.0	140.0
1163020	21.0	43.2	35.0	63.0	56.0	140.0

C-SC Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	øE	ΦD	Φd	W	B	L
1200104	4.2	3.3	1.8	8.0	5.0	16.0
1200105	5.2	3.3	1.8	10.0	5.0	17.0
1200106	6.5	3.3	1.8	10.0	5.0	18.0
1200204	4.2	3.6	2.4	8.0	7.0	18.0
1200205	5.2	3.6	2.4	10.0	7.0	20.0
1200206	6.5	3.6	2.4	10.0	7.0	20.0
1200208	8.4	3.6	2.4	12.5	7.0	23.0
1200404	4.2	4.4	3.1	10.0	7.0	20.0
1200405	5.2	4.4	3.1	10.0	7.0	20.0
1200406	6.5	4.4	3.1	10.0	7.0	20.0
1200408	8.4	4.4	3.1	12.5	7.0	23.0
1200604	4.2	5.1	3.8	10.0	9.0	24.0
1200605	5.2	5.1	3.8	10.0	9.0	24.0
1200606	6.5	5.1	3.8	12.0	9.0	24.0
1200608	8.4	5.1	3.8	12.5	9.0	26.0
1200610	10.5	5.7	4.0	15.0	9.0	28.0
1201005	5.2	5.8	4.5	12.0	9.0	25.0
1201006	6.5	5.8	4.5	12.0	9.0	25.0
1201008	8.4	5.8	4.5	12.5	9.0	27.0

1201010	10.5	5.8	4.5	15.0	9.0	29.0
1201012	13.0	5.8	4.5	17.0	9.0	31.0
1201605	5.2	6.6	5.4	12.0	12.0	30.0
1201606	6.5	6.6	5.4	12.0	12.0	30.0
1201608	8.4	6.6	5.4	12.5	12.0	30.0
1201610	10.5	6.6	5.4	16.0	12.0	33.0
1201612	13.0	6.6	5.4	17.0	12.0	35.0
1202505	5.2	8.3	6.8	13.0	12.0	33.0
1202506	6.5	8.3	6.8	13.0	12.0	33.0
1202508	8.4	8.3	6.8	15.0	12.0	33.0
1202510	10.5	8.3	6.8	18.0	12.0	34.0
1202512	13.0	8.3	6.8	18.0	12.0	35.0
1202514	15.0	8.3	6.8	20.0	12.0	38.0
1203505	5.2	10.0	8.2	16.0	14.0	38.0
1203506	6.5	10.0	8.2	16.0	14.0	38.0
1203508	8.4	10.0	8.2	16.0	14.0	38.0
1203510	10.5	10.0	8.2	18.0	14.0	39.0
1203512	13.0	10.0	8.2	19.0	14.0	40.5
1203514	15.0	10.0	8.2	20.0	14.0	42.0
1205006	6.5	11.6	9.5	17.0	16.0	45.0
1205008	8.4	11.6	9.5	17.0	16.0	45.0
1205010	10.5	11.6	9.5	17.0	16.0	45.0
1205012	13.0	11.6	9.5	20.0	16.0	45.0
1205014	15.0	11.6	9.5	22.0	16.0	46.0

1205016	17.0	11.6	9.5	24.0	16.0	47.0
1207008	8.4	13.8	11.2	20.4	20.0	52.0
1207010	10.5	13.8	11.2	20.4	20.0	52.0
1207012	13.0	13.8	11.2	20.4	20.0	52.0
1207014	15.0	13.8	11.2	20.4	20.0	52.0


Parameter 2

PART NO	DIMENSIONS					
	øE	ΦD	Φd	W	B	L
1207016	17.0	13.8	11.2	25.0	20.0	53.0
1209508	8.4	16.4	13.5	24.0	23.0	58.0
1209510	10.5	16.4	13.5	24.0	23.0	58.0
1209512	13.0	16.4	13.5	24.0	23.0	58.0
1209514	15.0	16.4	13.5	24.0	23.0	58.0
1209516	17.0	16.4	13.5	24.0	23.0	58.0
1212008	8.4	18.2	15.0	27.0	22.0	63.0
1212010	10.5	18.2	15.0	27.0	22.0	63.0
1212012	13.0	18.2	15.0	27.0	22.0	63.0
1212014	15.0	18.2	15.0	27.0	22.0	63.0
1212016	17.0	18.2	15.0	27.0	22.0	63.0
1212020	21.0	18.2	15.0	27.0	22.0	63.0
1215008	8.4	19.9	16.5	29.5	26.0	70.0
1215010	10.5	19.9	16.5	29.5	26.0	70.0
1215012	13.0	19.9	16.5	29.5	26.0	70.0
1215014	15.0	19.9	16.5	29.5	26.0	70.0
1215016	17.0	19.9	16.5	29.5	26.0	70.0
1215020	21.0	19.9	16.5	29.5	26.0	70.0
1218510	10.5	22.1	18.5	32.5	32.0	75.0

1218512	13.0	22.1	18.5	32.5	32.0	75.0
1218514	15.0	22.1	18.5	32.5	32.0	75.0
1218516	17.0	22.1	18.5	32.5	32.0	75.0
1218520	21.0	22.1	18.5	32.5	32.0	75.0
1224010	10.5	25.0	21.0	37.0	38.0	90.0
1224012	13.0	25.0	21.0	37.0	38.0	90.0
1224014	15.0	25.0	21.0	37.0	38.0	90.0
1224016	17.0	25.0	21.0	37.0	38.0	90.0
1224020	21.0	25.0	21.0	37.0	38.0	90.0
1230010	10.5	28.2	23.5	41.5	42.0	98.0
1230012	13.0	28.2	23.5	41.5	42.0	98.0
1230014	15.0	28.2	23.5	41.5	42.0	98.0
1230016	17.0	28.2	23.5	41.5	42.0	98.0
1230020	21.0	28.2	23.5	41.5	42.0	98.0
1240010	10.5	34.3	28.5	50.5	44.0	110.0
1240012	13.0	34.3	28.5	50.5	44.0	110.0
1240014	15.0	34.3	28.5	50.5	44.0	110.0
1240016	17.0	34.3	28.5	50.5	44.0	110.0
1240020	21.0	34.3	28.5	50.5	44.0	110.0
1250010	10.5	36.5	30.0	53.5	48.0	120.0
1250012	13.0	36.5	30.0	53.5	48.0	120.0
1250014	15.0	36.5	30.0	53.5	48.0	120.0
1250016	17.0	36.5	30.0	53.5	48.0	120.0
1250020	21.0	36.5	30.0	53.5	48.0	120.0

1263010	10.5	42.2	35.0	62.5	56.0	140.0
1263012	13.0	42.2	35.0	62.5	56.0	140.0
1263014	15.0	42.2	35.0	62.5	56.0	140.0
1263016	17.0	42.2	35.0	62.5	56.0	140.0
1263020	21.0	42.2	35.0	62.5	56.0	140.0

SC-XB Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1300104	4.3	4.0	2.2	8.0	5.0	16.5
1300105	5.3	4.0	2.2	8.0	5.0	16.5
1300204	4.3	4.5	2.9	8.0	7.0	19.0
1300205	5.3	4.5	2.9	8.0	7.0	21.0
1300206	6.4	4.5	2.9	10.0	7.0	21.0
1300208	8.4	4.5	2.9	13.0	7.0	23.0
1300404	4.3	5.2	3.6	10.0	7.0	21.0
1300405	5.3	5.2	3.6	10.0	7.0	21.0
1300406	6.4	5.2	3.6	10.0	7.0	21.0
1300408	8.4	5.2	3.6	13.0	7.0	24.0
1300604	4.3	6.0	4.2	10.0	9.0	23.5
1300605	5.3	6.0	4.2	10.0	9.0	23.5
1300606	6.4	6.0	4.2	10.0	9.0	26.0
1300608	8.4	6.0	4.2	12.0	9.0	26.0
1300610	10.5	6.0	4.2	16.0	9.0	34.0
1301005	5.3	7.0	5.0	12.4	9.0	27.0
1301006	6.4	7.0	5.0	12.4	9.0	27.0
1301008	8.4	7.0	5.0	12.4	9.0	28.0
1301010	10.5	7.0	5.0	18.0	9.0	34.5

1301012	13.0	7.0	5.0	18.5	9.0	39.5
1301604	4.3	7.8	5.8	12.4	12.0	31.0
1301605	5.3	7.8	5.8	12.4	12.0	31.0
1301606	6.4	7.8	5.8	12.4	12.0	31.0
1301608	8.4	7.8	5.8	12.4	12.0	31.0
1301610	10.5	7.8	5.8	16.0	12.0	34.0
1301612	13.0	7.8	5.8	19.5	12.0	42.0
1302505	5.3	9.5	7.5	14.0	12.0	32.0
1302506	6.4	9.5	7.5	14.0	12.0	32.0
1302508	8.4	9.5	7.5	18.0	12.0	34.0
1302510	10.5	9.5	7.5	17.5	12.0	37.0
1302512	13.0	9.5	7.5	20.5	12.0	45.0
1303506	6.4	11.4	8.6	16.5	15.0	38.0
1303508	8.4	11.4	8.6	16.5	15.0	38.0
1303510	10.5	11.4	8.6	17.5	15.0	41.0
1303512	13.0	11.4	8.6	18.0	15.0	47.5
1305006	6.4	12.6	9.6	18.0	16.0	43.5
1305008	8.4	12.6	9.6	18.0	16.0	44.0
1305010	10.5	12.6	9.6	18.0	16.0	44.0
1305012	13.0	12.6	9.6	18.0	16.0	44.0
1305014	15.0	12.6	9.6	25.0	16.0	55.5
1305016	17.0	12.6	9.6	26.0	16.0	60.0
1307006	6.4	15.0	12.0	21.8	18.0	50.0
1307008	8.4	15.0	12.0	21.8	18.0	50.0

1307010	10.5	15.0	12.0	21.8	18.0	50.0
1307012	13.0	15.0	12.0	21.8	18.0	50.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1307014	15.0	15.0	12.0	21.8	18.0	59.0
1307016	17.0	15.0	12.0	26.0	18.0	63.0
1309505	5.3	17.4	13.5	25.0	20.0	55.5
1309506	6.4	17.4	13.5	25.0	20.0	55.5
1309508	8.4	17.4	13.5	25.0	20.0	55.5
1309510	10.5	17.4	13.5	25.0	20.0	55.5
1309512	13.0	17.4	13.5	25.0	20.0	55.5
1309514	15.0	17.4	13.5	25.0	20.0	65.0
1309516	17.0	17.4	13.5	27.0	20.0	69.5
1309520	21.0	17.4	13.5	29.0	20.0	77.5
1312008	8.4	19.8	15.0	28.4	22.0	60.0
1312010	10.5	19.8	15.0	28.4	22.0	60.0
1312012	13.0	19.8	15.0	28.4	22.0	60.0
1312014	15.0	19.8	15.0	28.4	22.0	64.0
1312016	17.0	19.8	15.0	28.4	22.0	64.0
1315006	6.4	21.2	16.5	30.5	26.0	69.0
1315008	8.4	21.2	16.5	30.5	26.0	69.0
1315010	10.5	21.2	16.5	30.5	26.0	69.0
1315012	13.0	21.2	16.5	30.5	26.0	69.0


1315014	15.0	21.2	16.5	30.5	26.0	69.0
1315016	17.0	21.2	16.5	30.5	26.0	69.0
1315020	21.0	21.2	16.5	30.5	26.0	69.0
1318510	10.5	23.5	18.5	34.0	32.0	78.0
1318512	13.0	23.5	18.5	34.0	32.0	78.0
1318514	15.0	23.5	18.5	34.0	32.0	78.0
1318516	17.0	23.5	18.5	34.0	32.0	78.0
1318520	21.0	23.5	18.5	34.0	32.0	78.0
1324010	10.5	26.5	21.5	38.5	38.0	92.0
1324012	13.0	26.5	21.5	38.5	38.0	92.0
1324014	15.0	26.5	21.5	38.5	38.0	92.0
1324016	17.0	26.5	21.5	38.5	38.0	92.0
1324020	21.0	26.5	21.5	38.5	38.0	92.0
1330012	13.0	30.0	23.5	43.0	42.0	101.0
1330014	15.0	30.0	23.5	43.0	42.0	101.0
1330016	17.0	30.0	23.5	43.0	42.0	101.0
1330018	19.0	30.0	23.5	43.0	42.0	101.0
1330020	21.0	30.0	23.5	43.0	42.0	101.0
1340012	13.0	36.5	28.5	52.0	44.0	114.0
1340016	17.0	36.5	28.5	52.0	44.0	114.0
1340018	19.0	36.5	28.5	52.0	44.0	114.0
1340020	21.0	36.5	28.5	52.0	44.0	114.0
1350016	17.0	39.0	30.5	56.0	48.0	124.0
1350018	19.0	39.0	30.5	56.0	48.0	124.0

1350020	21.0	39.0	30.5	56.0	48.0	124.0
1360020	21.0	55.0	45.0	65.0	56.0	144.0

GC Copper Tube Terminals



CG 35-10



Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1400103	3.2	3.7	1.8	8.0	6.0	16.0
1400104	4.3	3.7	1.8	8.0	6.0	17.0
1400105	5.3	3.7	1.8	10.0	7.0	19.0
1400106	6.5	3.7	1.8	10.0	7.0	20.0
1400203	3.2	3.9	2.3	8.0	7.0	17.0
1400204	4.3	3.9	2.3	8.0	7.0	18.0
1400205	5.3	3.9	2.3	10.0	7.0	20.0
1400206	6.5	3.9	2.3	10.0	7.0	20.0
1400208	8.3	4.3	2.3	12.5	7.0	22.5
1400404	4.3	4.7	3.0	10.0	8.0	21.0
1400405	5.3	4.7	3.0	10.0	8.0	22.0
1400406	6.5	4.7	3.0	10.0	8.0	23.0
1400408	8.3	4.7	3.0	12.5	8.0	24.0
1400604	4.3	5.9	4.0	10.0	9.5	24.6
1400605	5.3	5.9	4.0	10.0	9.5	24.6
1400606	6.5	5.9	4.0	11.0	9.5	24.6
1400608	8.3	5.9	4.0	12.5	9.5	27.3
1400610	10.3	6.2	4.0	15.0	9.5	28.3
1401004	4.3	6.6	4.5	11.0	13.0	30.0

1401005	5.3	6.6	4.5	11.0	13.0	30.0
1401006	6.5	6.6	4.5	11.0	13.0	30.0
1401008	8.3	6.6	4.5	12.5	13.0	30.0
1401010	10.3	6.9	4.5	16.0	13.0	34.1
1401012	12.7	6.9	4.5	18.0	12.0	34.1
1401605	5.3	7.5	5.5	11.0	14.0	30.7
1401606	6.5	7.5	5.5	11.0	14.0	30.7
1401608	8.3	7.5	5.5	12.5	13.0	30.7
1401610	10.3	7.5	5.5	16.0	14.0	35.9
1401612	12.7	8.1	5.5	18.0	13.0	35.9
1402505	5.3	9.1	6.7	13.0	13.0	32.2
1402506	6.5	9.1	6.7	13.0	13.0	32.2
1402508	8.3	9.1	6.7	13.0	13.0	32.2
1402510	10.3	9.1	6.7	16.0	14.0	36.9
1402512	12.7	9.1	6.7	18.0	13.0	36.9
1402514	14.8	9.1	6.7	20.0	13.0	38.9
1403505	5.3	11.0	8.6	16.0	16.0	37.6
1403506	6.5	11.0	8.6	16.0	16.0	37.6
1403508	8.3	11.0	8.6	16.0	16.0	37.6
1403510	10.3	11.0	8.6	16.7	16.0	41.5
1403512	12.7	11.0	8.6	18.0	16.0	41.5
1403514	14.8	11.0	8.6	20.0	16.0	43.5
1403516	16.5	11.0	8.6	23.0	16.0	45.5
1405005	5.3	12.4	9.5	18.0	17.0	41.0

1405006	6.5	12.4	9.5	18.0	17.0	41.0
1405008	8.3	12.4	9.5	18.0	17.0	41.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1405010	10.3	12.4	9.5	18.0	17.0	44.0
1405012	12.7	12.4	9.5	19.0	17.0	44.0
1405014	14.8	12.4	9.5	21.0	19.0	52.8
1405016	16.5	12.4	9.5	23.0	19.0	52.8
1407005	5.3	15.0	12.0	22.0	21.5	52.4
1407006	6.3	15.0	12.0	22.0	21.5	52.4
1707008	8.3	15.0	12.0	22.0	21.5	52.4
1407010	10.3	15.0	12.0	22.0	21.5	52.4
1407012	12.7	15.0	12.0	22.0	21.5	52.4
1407014	14.8	15.0	12.0	22.0	21.5	55.0
1407016	16.5	15.0	12.0	24.0	20.0	55.0
1409508	8.3	17.0	13.4	25.0	22.5	54.7
1409510	10.3	17.0	13.4	25.0	22.5	54.7
1409512	12.7	17.0	13.4	25.0	22.5	54.7
1409514	14.8	17.0	13.4	25.0	22.5	58.3
1409516	16.8	17.0	13.4	25.0	22.5	58.3
1412008	8.3	19.0	15.0	27.0	23.0	60.0
1412010	10.3	19.0	15.0	27.0	23.0	60.0
1412012	12.7	19.0	15.0	27.0	23.0	60.0


1412014	14.8	19.0	15.0	27.0	23.0	64.0
1412016	16.5	19.0	15.0	27.0	23.0	64.0
1415010	10.3	21.2	16.5	30.0	27.0	67.0
1415012	12.7	21.2	16.5	30.0	27.0	67.0
1415014	14.8	21.2	16.5	30.0	27.0	67.0
1415016	16.5	21.2	16.5	30.0	27.0	71.4
1415020	20.9	21.2	16.5	30.0	27.0	71.4
1418510	10.3	23.0	19.0	34.0	30.0	73.0
1418512	12.7	23.0	19.0	34.0	30.0	73.0
1418514	14.8	23.0	19.0	34.0	30.0	73.0
1418516	16.5	23.0	19.0	34.0	30.0	76.2
1418520	20.9	23.0	19.0	34.0	30.0	76.2
1424010	10.3	26.5	21.0	38.0	38.0	91.4
1424012	12.7	26.5	21.0	38.0	38.0	91.4
1424014	14.8	26.5	21.0	38.0	38.0	91.4
1424016	16.5	26.5	21.0	38.0	38.0	91.4
1424020	20.9	26.5	21.0	38.0	38.0	91.4
1430012	12.7	30.0	24.5	43.0	42.0	98.0
1430014	14.8	30.0	24.5	43.0	42.0	98.0
1430016	16.5	30.0	24.5	43.0	42.0	98.0
1430020	20.9	30.0	24.5	43.0	42.0	98.0
1440012	12.7	35.0	27.0	49.0	44.0	104.0
1440014	14.8	35.0	27.0	49.0	44.0	104.0
1440016	16.5	35.0	27.0	49.0	44.0	104.0

1440020	20.9	35.0	27.0	49.0	44.0	104.0
---------	------	------	------	------	------	-------

GC With Bell-Mouth Copper Tube Terminals



CG 35-10



Parameter


PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1501004	4.3	6.6	4.5	11.0	13.0	30.0
1501005	5.3	6.6	4.5	11.0	13.0	30.0
1501006	6.5	6.6	4.5	11.0	13.0	30.0
1501008	8.3	6.6	4.5	12.5	13.0	30.0
1501010	10.3	6.9	4.5	16.0	13.0	34.1
1501012	12.7	6.9	4.5	18.0	12.0	34.1
1501605	5.3	7.5	5.5	11.0	14.0	30.7
1501606	6.5	7.5	5.5	11.0	14.0	30.7
1501608	8.3	7.5	5.5	12.5	13.0	30.7
1501610	10.3	7.5	5.5	16.0	14.0	35.9
1501612	12.7	8.1	5.5	18.0	13.0	35.9
1502505	5.3	9.1	6.7	13.0	13.0	32.2
1502506	6.5	9.1	6.7	13.0	13.0	32.2
1502508	8.3	9.1	6.7	13.0	13.0	32.2
1502510	10.3	9.1	6.7	16.0	14.0	36.9
1502512	12.7	9.1	6.7	18.0	13.0	36.9
1502514	14.8	9.1	6.7	20.0	13.0	38.9
1503505	5.3	11.0	8.6	16.0	16.0	37.6
1503506	6.5	11.0	8.6	16.0	16.0	37.6

1503508	8.3	11.0	8.6	16.0	16.0	37.6
1503510	10.3	11.0	8.6	17.0	16.0	41.5
1503512	12.7	11.0	8.6	18.0	16.0	41.5
1503514	14.8	11.0	8.6	20.0	16.0	43.5
1503516	16.5	11.0	8.6	23.0	16.0	45.5
1505005	5.3	12.4	9.5	18.0	17.0	41.0
1505006	6.5	12.4	9.5	18.0	17.0	41.0
1505008	8.3	12.4	9.5	18.0	17.0	41.0
1505010	10.3	12.4	9.5	18.0	17.0	44.0
1505012	12.7	12.4	9.5	19.0	17.0	44.0
1505014	14.8	12.4	9.5	21.0	19.0	52.8
1505016	16.5	12.4	9.5	23.0	19.0	52.8
1507005	5.3	15.0	12.0	22.5	21.5	52.4
1507006	6.3	15.0	12.0	22.5	21.5	52.4
1507008	8.3	15.0	12.0	22.5	21.5	52.4
1507010	10.3	15.0	12.0	22.5	21.5	52.4
1507012	12.7	15.0	12.0	22.0	21.5	52.4
1507014	14.8	15.0	12.0	22.0	21.5	55.0
1507016	16.5	15.0	12.0	24.0	20.0	55.0
1509508	8.3	17.0	13.4	25.0	22.5	54.7
1509510	10.3	17.0	13.4	25.0	22.5	54.7
1509512	12.7	17.0	13.4	25.0	22.5	54.7
1509514	14.8	17.0	13.4	25.0	22.5	58.3
1509516	16.8	17.0	13.4	25.0	22.5	58.3

1512008	8.3	19.0	15.0	27.5	23.0	60.0
1512010	10.3	19.0	15.0	27.5	23.0	60.0
1512012	12.7	19.0	15.0	27.5	23.0	60.0
1512014	14.8	19.0	15.0	27.5	23.0	64.0
1512016	16.5	19.0	15.0	27.5	23.0	64.0
1515010	10.3	21.2	16.5	30.0	27.0	67.0
1515012	12.7	21.2	16.5	30.0	27.0	67.0
1515014	14.8	21.2	16.5	30.0	27.0	67.0
1515016	16.5	21.2	16.5	30.0	27.0	71.4
1515020	20.9	21.2	16.5	30.0	27.0	71.4
1518510	10.3	23.0	19.0	34.0	30.0	73.0
1518512	12.7	23.0	19.0	34.0	30.0	73.0
1518514	14.8	23.0	19.0	34.0	30.0	73.0
1518516	16.5	23.0	19.0	34.0	30.0	76.2
1518520	20.9	23.0	19.0	34.0	30.0	76.2
1524010	10.3	26.5	21.0	38.6	38.0	91.4
1524012	12.7	26.5	21.0	38.6	38.0	91.4
1524014	14.8	26.5	21.0	38.6	38.0	91.4
1524016	16.5	26.5	21.0	38.6	38.0	91.4
1524020	20.9	26.5	21.0	38.6	38.0	91.4
1530012	12.7	30.0	24.5	43.8	42.0	98.0
1530014	14.8	30.0	24.5	43.8	42.0	98.0
1530016	16.5	30.0	24.5	43.8	42.0	98.0
1530020	20.9	30.0	24.5	43.8	42.0	98.0

1540012	12.7	35.0	27.0	49.0	44.0	104.0
1540014	14.8	35.0	27.0	49.0	44.0	104.0
1540016	16.5	35.0	27.0	49.0	44.0	104.0
1540020	20.9	35.0	27.0	49.0	44.0	104.0

GCL With Long Barrel Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1600103	3.2	3.7	1.8	8.0	11.0	21.0
1600104	4.3	3.7	1.8	8.0	11.0	22.0
1600105	5.3	3.7	1.8	10.0	12.0	24.0
1600106	6.5	3.7	1.8	10.0	12.0	25.0
1600203	3.2	3.9	2.3	8.0	12.0	22.0
1600204	4.3	3.9	2.3	8.0	12.0	23.0
1600205	5.3	3.9	2.3	10.0	12.0	25.0
1600206	6.5	3.9	2.3	10.0	12.0	25.0
1600208	8.3	4.3	2.3	12.5	12.0	27.5
1600404	4.3	4.7	3.0	10.0	13.0	26.0
1600405	5.3	4.7	3.0	10.0	13.0	27.0
1600206	6.5	4.7	3.0	10.0	13.0	28.0
1600208	8.3	4.7	3.0	12.5	13.0	29.0
1600604	4.3	5.9	4.0	10.0	18.5	33.6
1600605	5.3	5.9	4.0	10.0	18.5	33.6
1600606	6.5	5.9	4.0	11.0	18.5	33.6
1600608	8.3	5.9	4.0	12.5	18.5	36.3
1600610	10.3	6.2	4.0	15.0	18.5	37.3
1601005	5.3	6.6	4.5	11.0	22.0	39.0

1601006	6.5	6.6	4.5	11.0	22.0	39.0
1601008	8.3	6.6	4.5	12.5	22.0	39.0
1601010	10.3	6.9	4.5	16.0	22.0	43.1
1601012	12.7	6.9	4.5	18.0	21.0	43.1
1601605	5.3	7.5	5.5	11.0	23.0	39.7
1601606	6.5	7.5	5.5	11.0	23.0	39.7
1601608	8.3	7.5	5.5	12.5	22.0	39.7
1601610	10.3	7.5	5.5	16.0	23.0	44.9
1601612	12.7	8.1	5.5	18.0	22.0	44.9
1602505	5.3	9.1	6.7	13.0	28.0	47.2
1602506	6.5	9.1	6.7	13.0	28.0	47.2
1602508	8.3	9.1	6.7	13.0	28.0	47.2
1602510	10.3	9.1	6.7	16.0	29.0	51.9
1602512	12.7	9.1	6.7	18.0	28.0	51.9
1602514	14.8	9.1	6.7	20.0	28.0	53.9
1603505	5.3	11.0	8.6	16.0	31.0	52.6
1603506	6.5	11.0	8.6	16.0	31.0	52.6
1603508	8.3	11.0	8.6	16.0	31.0	52.6
1603510	10.3	11.0	8.6	16.7	31.0	56.5
1603512	12.7	11.0	8.6	18.0	31.0	56.5
1603514	14.8	11.0	8.6	20.0	31.0	58.5
1603516	16.5	11.0	8.6	23.0	31.0	60.5
1605005	5.3	12.4	9.5	18.0	32.0	56.0
1605006	6.5	12.4	9.5	18.0	32.0	56.0

1605008	8.3	12.4	9.5	18.0	32.0	56.0
1605010	10.3	12.4	9.5	18.0	32.0	59.0


Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1605012	12.7	12.4	9.5	19.0	32.0	59.0
1605014	14.8	12.4	9.5	21.0	34.0	67.8
1605016	16.5	12.4	9.5	23.0	34.0	67.8
1607005	5.3	15.0	12.0	22.0	36.5	67.4
1607006	6.3	15.0	12.0	22.0	36.5	67.4
1607008	8.3	15.0	12.0	22.0	36.5	67.4
1607010	10.3	15.0	12.0	22.0	36.5	67.4
1607012	12.7	15.0	12.0	22.0	36.5	67.4
1607014	14.8	15.0	12.0	22.0	36.5	70.0
1607016	16.5	15.0	12.0	24.0	35.0	70.0
1609508	8.3	17.0	13.4	25.0	37.5	69.7
1609510	10.3	17.0	13.4	25.0	37.5	69.7
1609512	12.7	17.0	13.4	25.0	37.5	69.7
1609514	14.8	17.0	13.4	25.0	37.5	73.3
1609516	16.8	17.0	13.4	25.0	37.5	73.3
1609520	20.9	17.0	13.4	28.0	34.5	73.3
1612008	8.3	19.0	15.0	27.5	38.0	75.0
1612010	10.3	19.0	15.0	27.5	38.0	75.0
1612012	12.7	19.0	15.0	27.5	38.0	75.0

1612014	14.8	19.0	15.0	27.5	38.0	79.0
1612016	16.5	19.0	15.0	27.5	38.0	79.0
1612020	20.9	19.0	15.0	27.5	38.0	79.0
1615010	10.3	21.2	16.5	30.8	42.0	82.0
1615012	12.7	21.2	16.5	30.8	42.0	82.0
1615014	14.8	21.2	16.5	30.8	42.0	82.0
1615016	16.5	21.2	16.5	30.8	42.0	86.4
1615020	20.9	21.2	16.5	30.8	42.0	86.4
1618510	10.3	23.0	19.0	34.0	45.0	88.0
1618512	12.7	23.0	19.0	34.0	45.0	88.0
1618514	14.8	23.0	19.0	34.0	45.0	88.0
1618516	16.5	23.0	19.0	34.0	45.0	91.2
1618520	20.9	23.0	19.0	34.0	45.0	91.2
1624010	10.3	26.5	21.0	38.6	53.0	106.4
1624012	12.7	26.5	21.0	38.6	53.0	106.4
1624014	14.8	26.5	21.0	38.6	53.0	106.4
1624016	16.5	26.5	21.0	38.6	53.0	106.4
1624020	20.9	26.5	21.0	38.6	53.0	106.4
1630012	12.7	30.0	24.5	43.8	57.0	113.0
1630014	14.8	30.0	24.5	43.8	57.0	113.0
1630016	16.5	30.0	24.5	43.8	57.0	113.0
1630020	20.9	30.0	24.5	43.8	57.0	113.0
1640012	12.7	35.0	27.0	49.0	59.0	119.0
1640014	14.8	35.0	27.0	49.0	59.0	119.0

1640016	16.5	35.0	27.0	49.0	59.0	119.0
1640020	20.9	35.0	27.0	49.0	59.0	119.0

FC With Bell-Mouth Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1701005	5.3	6.8	4.3	12.0	12.0	30.5
1701006	6.5	6.8	4.3	12.0	12.0	30.5
1701008	8.5	6.8	4.3	15.0	12.0	37.0
1701010	10.5	6.8	4.3	16.0	12.0	41.0
1701012	13.0	6.8	4.3	19.0	12.0	44.0
1701605	5.3	8.0	5.3	12.0	14.0	33.3
1701606	6.5	8.0	5.3	12.0	14.0	33.3
1701608	8.5	8.0	5.3	16.0	14.0	37.5
1701610	10.5	8.0	5.3	16.0	14.0	41.5
1701612	13.0	8.0	5.3	19.0	14.0	44.0
1702505	5.3	9.5	6.6	13.0	15.0	36.3
1702506	6.5	9.5	6.6	13.0	15.0	36.3
1702508	8.5	9.5	6.6	18.0	15.0	42.0
1702510	10.5	9.5	6.6	18.0	15.0	46.0
1702512	13.0	9.5	6.6	18.0	15.0	48.0
1702514	15.0	9.5	6.6	20.0	15.0	52.5
1703505	5.3	11.0	7.9	15.0	17.0	39.5
1703506	6.5	11.0	7.9	15.0	17.0	39.5
1703508	8.5	11.0	7.9	17.0	17.0	44.0

1703510	10.5	11.0	7.9	17.0	17.0	49.0
1703512	13.0	11.0	7.9	19.0	17.0	51.0
1703514	15.0	11.0	7.9	21.0	17.0	53.5
1705006	6.5	12.5	9.2	18.0	19.0	42.5
1705008	8.5	12.5	9.2	18.0	19.0	47.0
1705010	10.5	12.5	9.2	18.0	19.0	52.0
1705012	13.0	12.5	9.2	19.0	19.0	54.0
1705014	15.0	12.5	9.2	21.0	19.0	57.5
1705016	17.0	12.5	9.2	26.0	19.0	61.0
1707006	6.5	15.0	11.0	21.0	21.0	51.0
1707008	8.5	15.0	11.0	21.0	21.0	51.0
1707010	10.5	15.0	11.0	21.0	21.0	55.0
1707012	13.0	15.0	11.0	22.0	21.0	59.0
1707014	15.0	15.0	11.0	23.0	21.0	62.5
1707016	17.0	15.0	11.0	28.0	21.0	66.0

Parameter 2


PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1707020	21.0	15.0	11.0	30.0	21.0	72.0
1709508	8.5	17.0	13.1	25.0	25.0	56.0
1709510	10.5	17.0	13.1	25.0	25.0	60.0
1709512	13.0	17.0	13.1	25.0	25.0	62.0
1709514	15.0	17.0	13.1	25.0	25.0	66.5
1709516	17.0	17.0	13.1	25.0	25.0	70.0
1709520	21.0	17.0	13.1	30.0	25.0	76.0
1712008	8.5	19.0	14.5	28.0	26.0	64.0
1712010	10.5	19.0	14.5	28.0	26.0	64.0
1712012	13.0	19.0	14.5	28.0	26.0	66.0
1712014	15.0	19.0	14.5	28.0	26.0	69.5
1712016	17.0	19.0	14.5	28.0	26.0	72.0
1715010	10.5	21.0	16.2	30.0	30.0	71.0
1715012	13.0	21.0	16.2	30.0	30.0	73.0
1715014	15.0	21.0	16.2	30.0	30.0	73.0
1715016	17.0	21.0	16.2	30.0	30.0	75.0
1718512	13.0	23.0	18.0	33.5	32.0	81.0
1718514	15.0	23.0	18.0	33.5	32.0	85.0
1718516	17.0	23.0	18.0	33.5	32.0	87.0

1718520	21.0	23.0	18.0	33.5	32.0	91.0
1724010	10.5	26.0	20.6	38.0	35.0	93.5
1724012	13.0	26.0	20.6	38.0	35.0	93.5
1724014	15.0	26.0	20.6	38.0	35.0	93.5
1724016	17.0	26.0	20.6	38.0	35.0	93.5
1724020	21.0	26.0	20.6	38.0	35.0	93.5
1730012	13.0	28.0	23.0	41.0	44.0	96.0
1730014	15.0	28.0	23.0	41.0	44.0	102.0
1730016	17.0	28.0	23.0	41.0	44.0	102.0
1730020	21.0	28.0	23.0	41.0	44.0	106.0
1740012	13.0	32.0	26.0	46.5	44.0	115.0
1740014	15.0	32.0	26.0	46.5	44.0	115.0
1740016	17.0	32.0	26.0	46.5	44.0	115.0
1740020	21.0	32.0	26.0	46.5	44.0	118.0

HUP Copper Tube Terminals



HUP35-8



Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1800103	3.2	3.3	1.8	6.5	6.0	15.3
1800104	4.3	3.3	1.8	6.5	6.0	17.0
1800106	6.5	3.3	1.8	9.0	6.0	22.5
1800203	3.2	4.2	2.3	7.5	6.0	15.3
1800204	4.3	4.2	2.3	7.5	6.0	17.0
1800205	5.3	4.2	2.3	8.5	6.0	18.8
1800206	6.5	4.2	2.3	9.5	6.0	22.5
1800208	8.5	4.2	2.3	13	6.0	27.8
1800405	5.3	5.0	3.0	9.0	8.0	21.8
1800406	6.5	5.0	3.0	10.0	8.0	25.5
1800408	8.5	5.0	3.0	13.0	8.0	30.5
1800605	5.3	6.5	3.5	10.0	9.0	27.5
1800606	6.5	6.5	3.5	12.0	9.0	27.5
1800608	8.5	6.5	3.5	15.0	9.0	33.0
1800610	10.5	6.5	3.5	17.0	9.0	37.0
1800612	13.0	6.5	3.5	19.0	9.0	41.0
1801005	5.3	7.0	4.5	12.0	10.0	28.5
1801006	6.5	7.0	4.5	12.0	10.0	28.5
1801008	8.5	7.0	4.5	15.0	10.0	35.0

1801010	10.5	7.0	4.5	17.0	10.0	39.0
1801012	13.0	7.0	4.5	19.0	10.0	42.0
1801605	5.3	8.5	5.5	12.0	13.0	32.5
1801606	6.5	8.5	5.5	12.0	13.0	33.3
1801608	8.5	8.5	5.5	15.0	13.0	37.5
1801610	10.5	8.5	5.5	17.0	13.0	41.5
1801612	13.0	8.5	5.5	19.0	13.0	45.0
1801614	15.0	8.5	5.5	21.0	13.0	45.0
1802505	5.3	10.0	7.0	14.0	15.0	37.5
1802506	6.5	10.0	7.0	14.0	15.0	37.5
1802508	8.5	10.0	7.0	16.0	15.0	42.0
1802510	10.5	10.0	7.0	18.0	15.0	46.0
1802512	13.0	10.0	7.0	19.0	15.0	48.0
1802514	15.0	10.0	7.0	21.0	15.0	52.5
1803506	6.5	12.0	8.5	17.0	17.0	39.5
1803508	8.5	12.0	8.5	17.0	17.0	44.0
1803510	10.5	12.0	8.5	19.0	17.0	49.0
1803512	13.0	12.0	8.5	21.0	17.0	51.0
1803514	15.0	12.0	8.5	21.0	17.0	54.5
1803516	17.0	12.0	8.5	26.0	17.0	58.0
1805006	6.5	14.0	10.0	20.0	19.0	47.0
1805008	8.5	14.0	10.0	20.0	19.0	47.0
1805010	10.5	14.0	10.0	20.0	19.0	51.0
1805012	13.0	14.0	10.0	23.0	19.0	56.0

1805014	15.0	14.0	10.0	23.0	19.0	59.5
1805016	17.0	14.0	10.0	28.0	19.0	62.0
1805020	21.0	14.0	10.0	30.0	19.0	67.0
1807006	6.5	16.5	12.0	23.5	21.0	53.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1807008	8.5	16.5	12.0	23.5	21.0	53.0
1807010	10.5	16.5	12.0	23.5	21.0	56.0
1807012	13.0	16.5	12.0	23.5	21.0	59.0
1807014	15.0	16.5	12.0	23.5	21.0	62.5
1807016	17.0	16.5	12.0	28.0	21.0	66.0
1807020	21.0	16.5	12.0	30.0	21.0	72.0
1809508	8.5	18.0	13.5	26.0	25.0	60.0
1809510	10.5	18.0	13.5	26.0	25.0	60.0
1809512	13.0	18.0	13.5	26.0	25.0	62.0
1809514	15.0	18.0	13.5	26.0	25.0	65.5
1809516	17.0	18.0	13.5	28.0	25.0	70.0
1809520	21.0	18.0	13.5	36.0	26.0	82.0
1812008	8.5	19.5	15.0	28.0	26.0	65.0
1812010	10.5	19.5	15.0	28.0	26.0	65.0
1812012	13.0	19.5	15.0	28.0	26.0	65.0
1812014	15.0	19.5	15.0	28.0	26.0	67.0
1812016	17.0	19.5	15.0	30.0	26.0	70.0
1812020	21.0	19.5	15.0	36.0	28.0	85.0
1815008	8.5	21.0	16.5	30.5	30.0	70.0


1815010	10.5	21.0	16.5	30.5	30.0	72.0
1815012	13.0	21.0	16.5	30.5	30.0	72.0
1815014	15.0	21.0	16.5	30.5	30.0	72.0
1815016	17.0	21.0	16.5	30.5	30.0	74.0
1815020	21.0	21.0	16.5	36.0	30.0	88.0
1818510	10.5	24.0	19.0	35.0	30.0	83.0
1818512	13.0	24.0	19.0	35.0	30.0	83.0
1818514	15.0	24.0	19.0	35.0	30.0	83.0
1818516	17.0	24.0	19.0	35.0	30.0	83.0
1818520	21.0	24.0	19.0	39.0	30.0	91.0
1824010	10.5	26.0	21.0	38.0	35.0	93.5
1824012	13.0	26.0	21.0	38.0	35.0	93.5
1824014	15.0	26.0	21.0	38.0	35.0	93.5
1824016	17.0	26.0	21.0	38.0	35.0	93.5
1824020	21.0	26.0	21.0	38.0	35.0	93.5
1830012	13.0	29.5	23.5	43.0	44.0	111.0
1830014	15.0	29.5	23.5	43.0	44.0	111.0
1830016	17.0	29.5	23.5	43.0	44.0	111.0
1830020	21.0	29.5	23.5	43.0	44.0	111.0
1840012	13.0	34.0	27.0	49.5	44.0	114.0
1840014	15.0	34.0	27.0	49.5	44.0	114.0
1840016	17.0	34.0	27.0	49.5	44.0	114.0
1840020	21.0	34.0	27.0	49.5	44.0	114.0
1850016	17.0	42.0	31.0	59.0	70.0	150.0

1850020	21.0	42.0	31.0	59.0	70.0	150.0
1863016	17.0	44.0	34.5	63.5	80.0	170.0
1863020	21.0	44.0	34.5	63.5	80.0	170.0

CL-H Copper Tube Terminals



CL-H



Parameter


PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
1901406	6.4	8.8	5.8	18.3	28.5	50.0
1902208	8.4	11.3	7.7	18.3	28.5	52.0
1903810	10.5	12.4	9.8	18.3	34.0	64.0
1903812	13.0	12.4	9.8	18.3	34.0	64.0
1906012	10.5	14.0	11.0	20.5	36.0	70.0
1906012	13.0	14.0	11.0	20.5	36.0	70.0
1907010	10.5	15.0	12.0	21.4	38.0	72.0
1907012	13.0	15.0	12.0	21.4	38.0	72.0
1908012	13.0	16.0	13.0	23.2	38.0	75.0
1910012	13.0	18.0	14.0	26.0	40.0	75.0
1912512	13.0	20.0	16.0	28.0	40.0	85.0
1915012	13.0	22.0	17.0	31.5	46.0	94.0
1918012	13.0	23.0	18.2	33.0	46.0	98.0
1920012	13.0	26.0	20.0	37.0	48.0	104.0
1925012	13.0	28.0	22.0	41.0	48.0	114.0
1932512	13.0	32.0	25.0	46.0	50.0	118.0
1940012	13.0	37.0	30.0	54.0	60.0	130.0
1950012	13.0	40.0	31.0	57.5	60.0	150.0
1901406S	6.4	8.3	5.8	18.3	28.5	50.0

1902208S	8.4	10.7	7.7	18.3	28.5	52.0
1903810S	10.5	11.9	9.8	17.2	34.0	64.0
1903812S	13.0	11.9	9.8	17.2	34.0	64.0
1906010S	10.5	13.5	11.0	20.0	36.0	70.0
1906012S	13.0	13.5	11.0	20.0	36.0	70.0
1907010S	10.5	14.5	12.0	21.4	38.0	72.0
1907012S	13.0	14.5	12.0	21.4	38.0	72.0
1908012S	13.0	15.5	13.0	23.2	38.0	75.0
1910012S	13.0	17.3	14.0	25.5	40.0	75.0
1912512S	13.0	19.3	16.0	28.0	40.0	85.0
1915012S	13.0	21.1	17.0	30.5	46.0	94.0
1918012S	13.0	22.1	18.2	32.5	46.0	98.0
1920012S	13.0	24.9	20.0	36.0	48.0	104.0
1925012S	13.0	26.9	22.0	39.5	48.0	114.0
1932512S	13.0	30.7	25.0	45.0	50.0	118.0
1940012S	13.0	35.7	30.0	54.0	60.0	130.0
1950012S	13.0	38.4	31.0	56.0	60.0	150.0

CL-2H Copper Tube Terminals



CL-2H




Parameter

PART NO	DIMENSIONS						
	φE	ΦD	Φd	W	B	L	H
2001406	6.4	8.8	5.8	13.0	28.5	117.5	45.0
2002208	8.4	11.3	7.7	16.0	28.5	119.2	45.0
2003810	10.5	12.4	9.8	18.3	31.7	120.0	45.0
2003812	13.0	12.4	9.8	18.3	31.7	120.0	45.0
2006010	10.5	14.0	11.0	20.5	40.0	130.0	45.0
2006012	13.0	14.0	11.0	20.5	40.0	130.0	45.0
2007010	10.5	15.0	12.0	21.4	40.0	130.0	45.0
2007012	13.0	15.0	12.0	21.4	40.0	130.0	45.0
2008012	13.0	16.0	13.0	23.2	40.0	130.0	45.0
2010012	13.0	18.0	14.0	26.0	42.0	132.0	45.0
2012512	13.0	20.0	16.0	29.0	42.0	135.0	45.0
2015012	13.0	22.0	17.0	31.0	50.0	150.0	45.0
2018012	13.0	23.0	18.2	33.0	50.0	150.0	45.0
2020012	13.0	26.0	20.0	37.0	52.5	150.0	45.0
2025012	13.0	28.0	22.0	40.0	50.0	150.0	45.0
2032512	13.0	32.0	25.0	46.0	68.0	180.0	45.0
2040012	13.0	37.0	30.0	54.0	60.0	180.0	45.0
2050012	13.0	40.0	31.0	57.5	60.0	180.0	45.0
2001406S	6.4	8.3	5.8	13.0	28.5	117.5	45.0

2002208S	8.4	10.7	7.7	16.0	28.5	119.2	45.0
2003810S	10.5	11.9	9.8	17.5	31.7	120.0	45.0
2003812S	13.0	11.9	9.8	17.5	31.7	120.0	45.0
2006010S	10.5	13.5	11.0	19.5	40.0	130.0	45.0
2006012S	13.0	13.5	11.0	19.5	40.0	130.0	45.0
2007010S	10.5	14.5	12.0	21.4	40.0	130.0	45.0
2007012S	13.0	14.5	12.0	21.4	40.0	130.0	45.0
2008012S	13.0	15.5	13.0	23.2	40.0	130.0	45.0
2010012S	13.0	17.3	14.0	26.0	42.0	132.0	45.0
2012512S	13.0	19.3	16.0	28.0	42.0	135.0	45.0
2015012S	13.0	21.1	17.0	31.0	50.0	150.0	45.0
2018012S	13.0	22.1	18.2	33.0	50.0	150.0	45.0
2020012S	13.0	24.9	20.0	36.0	50.0	150.0	45.0
2025012S	13.0	26.9	22.0	39.0	50.0	150.0	45.0
2032512S	13.0	30.7	25.0	45.0	68.0	180.0	45.0
2040012S	13.0	35.7	30.0	54.0	60.0	180.0	45.0
2050012S	13.0	38.4	31.0	56.0	60.0	180.0	45.0

JM Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2100204	4.2	3.90	2.6	8.7	7.0	20.0
2100206	6.5	3.90	2.6	10.0	7.0	20.0
2100404	4.2	4.40	3.2	10.0	8.0	22.0
2100405	5.2	4.40	3.2	10.0	8.0	22.0
2100406	6.5	4.40	3.2	10.0	8.0	22.0
2100605	5.2	5.20	3.7	10.0	10.0	24.0
2100606	6.5	5.20	3.7	12.0	10.0	24.0
2100608	8.4	5.20	3.7	12.5	10.0	24.0
2101005	5.2	6.20	3.7	12.0	10.0	27.0
2101006	6.5	6.20	4.5	12.0	10.0	27.0
2101008	8.4	6.20	4.5	12.5	10.0	27.0
2101010	10.3	6.20	4.5	15.0	10.0	29.0
2101606	6.5	7.34	5.7	12.0	12.0	30.0
2101608	8.4	7.34	5.7	12.5	12.0	30.0
2101610	10.5	7.34	5.7	16.0	12.0	32.0
2101612	13.0	7.34	5.7	17.0	12.0	32.0
2102506	6.5	8.84	7.2	13.0	15.0	34.0
2102508	8.4	8.84	7.2	15.0	15.0	34.0
2102510	10.5	8.84	7.2	16.0	15.0	34.0


2102512	13.0	8.84	7.2	18.0	15.0	36.0
2103506	6.5	10.60	8.5	16.0	16.0	38.0
2103508	8.4	10.60	8.5	16.0	16.0	38.0
2103510	10.5	10.60	8.5	16.0	16.0	38.0
2103512	13.0	10.60	8.5	18.0	15.0	38.0
2105006	6.5	12.25	9.8	18.0	19.0	44.0
2105008	8.4	12.25	9.8	18.0	19.0	44.0
2105010	10.5	12.25	9.8	18.0	19.0	44.0
2105010	13.0	12.25	9.8	20.0	19.0	44.0
2107008	8.4	14.20	11.5	21.0	22.0	50.0
2107010	10.5	14.20	11.5	21.0	22.0	50.0
2107012	13.0	14.20	11.5	21.0	22.0	50.0
2107014	14.5	14.20	11.5	21.0	22.0	50.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2109510	10.5	16.70	13.7	25.0	25.0	57.0
2109512	13.0	16.70	13.7	25.0	25.0	57.0
2109514	14.5	16.70	13.7	25.0	25.0	57.0
2112010	10.5	18.60	15.0	27.0	26.0	63.5
2112012	13.0	18.60	15.0	27.0	26.0	63.5
2112014	14.7	18.60	15.0	27.0	26.0	63.5
2112016	17.0	18.60	15.0	27.0	26.0	63.5
2115010	10.5	20.60	16.7	30.0	30.0	71.0
2115012	13.0	20.60	16.7	30.0	30.0	71.0
2115014	14.7	20.60	16.7	30.0	30.0	71.0
2115016	17.0	20.60	16.7	30.0	30.0	71.0
2118512	13.0	22.60	18.5	34.0	32.0	79.0
2118514	14.7	22.60	18.5	34.0	32.0	79.0
2118516	17.0	22.60	18.5	34.0	32.0	79.0
2124012	13.0	25.55	21.0	38.0	40.0	92.0
2124014	14.7	25.55	21.0	38.0	40.0	92.0
2124116	17.0	25.55	21.0	38.0	40.0	92.0
2124020	21.0	25.55	21.0	38.0	40.0	92.0
2130012	13.0	29.45	24.0	43.0	44.0	102.0

2130014	14.7	29.45	24.0	43.0	44.0	102.0
2130016	17.0	29.45	24.0	43.0	44.0	102.0
2130020	21.0	29.45	24.0	43.0	44.0	102.0
2140012	13.0	33.35	27.0	48.5	50.0	113.0
2140014	14.7	33.35	27.0	48.5	50.0	113.0
2140016	17.0	33.35	27.0	48.5	50.0	113.0
2140020	21.0	33.35	27.0	48.5	50.0	113.0
2150014	14.7	37.30	30.0	55.0	50.0	123.0
2150016	17.0	37.30	30.0	55.0	50.0	123.0
2150020	21.0	37.30	30.0	55.0	50.0	123.0
2163016	17.0	44.10	35.0	65.0	65.0	135.0
2163018	19.0	44.10	35.0	65.0	65.0	135.0
2163020	21.0	44.10	35.0	65.0	65.0	135.0

DT Copper Tube Terminals




+

Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2200105	5.2	4.0	2.2	8.0	10.0	23.0
2200204	4.2	4.5	2.9	8.0	13.0	27.0
2200205	5.2	4.5	2.9	8.0	13.0	27.0
2200206	6.4	4.5	2.9	10.0	13.0	27.0
2200405	5.2	5.2	3.6	10.0	13.0	28.0
2200406	6.4	5.2	3.6	10.0	13.0	28.0
2200605	5.2	6.0	4.2	10.0	17.0	35.0
2200606	6.4	6.0	4.2	10.0	17.0	35.0
2200608	8.4	6.0	4.2	12.0	17.0	35.0
2201006	6.4	7.0	5.0	12.4	17.0	36.0
2201008	8.4	7.0	5.0	12.4	17.0	36.0
2201606	6.4	9.0	6.0	14.0	32.0	58.0
2201608	8.4	9.0	6.0	14.0	32.0	58.0
2202506	6.4	10.0	7.0	15.0	32.0	58.0
2202508	8.4	10.0	7.0	15.0	32.0	58.0
2202510	10.5	10.0	7.0	17.5	32.0	58.0
2203506	6.4	12.0	9.0	17.1	36.0	62.0
2203508	8.4	12.0	9.0	17.1	36.0	62.0
2203510	10.5	12.0	9.0	18.0	36.0	62.0

2205008	8.4	14.0	10.0	20.0	40.0	72.0
2205010	10.5	14.0	10.0	20.0	40.0	72.0
2207008	8.4	16.0	12.0	23.0	42.0	76.0
2207010	10.5	16.0	12.0	23.0	42.0	76.0
2207012	13.0	16.0	12.0	23.0	42.0	76.0
2209510	10.5	18.0	14.0	26.0	44.0	84.0
2209512	13.0	18.0	14.0	26.0	44.0	84.0
2212012	13.0	21.0	16.0	30.0	46.0	90.0
2212016	17.0	21.0	16.0	30.0	46.0	90.0
2215012	13.0	23.0	17.0	33.0	50.0	98.0
2215016	17.0	23.0	17.0	33.0	50.0	98.0
2218512	13.0	25.0	19.0	36.0	52.0	101.0
2218516	17.0	25.0	19.0	36.0	52.0	101.0
2224012	13.0	28.0	21.6	40.0	52.0	110.0
2224016	17.0	28.0	21.6	40.0	52.0	112.0
2224020	21.0	28.0	21.6	40.0	52.0	112.0
2230016	17.0	31.0	24.0	45.0	58.0	116.0
2230020	21.0	31.0	24.0	45.0	58.0	120.0
2240016	17.0	36.5	28.5	52.0	66.0	126.0
2240020	21.0	36.5	28.5	52.0	66.0	131.0
2250016	17.0	39.0	30.5	56.0	70.0	141.0
2250020	21.0	39.0	30.5	56.0	70.0	146.0
2263020	21.0	45.0	35.5	65.0	80.0	168.0

C45N Copper Tube Terminals




Parameter

PART NO	DIMENSIONS			
	ΦD	Φd	W	L
23004	5.0	3.0	6.6	24.0
23006	5.9	3.9	7.0	28.0
23010	6.9	4.9	7.0	28.0
23016	8.1	5.9	7.0	31.0
23025	10.0	7.3	7.0	33.0
23035	11.2	8.4	7.0	39.0
23050	12.5	9.5	7.0	45.0
23070	14.7	11.2	7.0	50.0

TPE Copper Tube Terminals



TPE




Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2405008	8.5	12.6	9.8	15	22	50
2405010	10.5	12.6	9.8	15	22	50
2407008	8.5	14.7	11.5	15	24	55
2407010	10.5	14.7	11.5	15	24	55
2409508	8.5	16.9	13.5	15	27	60
2409510	10.5	16.9	13.5	15	27	60
2412008	8.5	19.9	15.6	21	31	65
2412010	10.5	19.9	15.6	21	31	65
2415010	10.5	20.9	16.5	21	33	72
2415012	12.5	20.9	16.5	21	33	72
2418510	10.5	23.7	18.8	26	35	75
2418512	12.5	23.7	18.8	26	35	75
2424010	10.5	26.2	21.2	26	42	85
2424012	12.5	26.2	21.2	26	42	85

CP Flat Copper Tube Terminals




CP



Parameter

PART NO 2015-2018	DIMENSIONS				
	ΦD	Φd	W	L	L1
25010	6.8	4.7	5.0	25.0	12.0
25016	7.8	5.6	6.0	31.0	15.0
25025	9.4	7.1	7.0	34.0	18.0
25035	11.3	8.7	9.0	42.0	18.0
25050	12.6	9.8	10.0	46.0	21.0

LYF Copper Tube Terminals



+


Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2601005	5.3	8.0	5.0	11.5	9.0	28.0
2601006	6.5	8.0	5.0	11.5	9.0	28.0
2601008	8.4	8.0	5.0	13.5	9.0	32.0
2601010	10.5	8.0	5.0	16.0	9.0	34.0
2601606	6.5	9.0	6.0	13.0	10.0	33.0
2601608	8.4	9.0	6.0	13.0	10.0	33.0
2601610	10.5	9.0	6.0	16.0	10.0	38.0
2601612	13.0	9.0	6.0	22.0	10.0	47.0
2602506	6.5	11.0	8.0	16.0	11.0	37.0
2602508	8.4	11.0	8.0	16.0	11.0	38.0
2602510	10.5	11.0	8.0	17.0	11.0	42.0
2602512	13.0	11.0	8.0	22.0	11.0	47.0
2603506	6.5	13.0	9.0	18.0	14.0	44.0
2603508	8.4	13.0	9.0	18.0	14.0	44.0
2603510	10.5	13.0	9.0	18.0	14.0	44.0
2603512	13.0	13.0	9.0	22.0	14.0	52.0
2605006	6.5	14.5	11.0	21.0	17.0	50.0
2605008	8.4	14.5	11.0	21.0	17.0	50.0
2605010	10.5	14.5	11.0	21.0	17.0	50.0

2605012	13.0	14.5	11.0	21.0	17.0	53.0
2607006	6.5	17.0	13.0	25.0	20.0	55.0
2607008	8.4	17.0	13.0	25.0	20.0	55.0
2607010	10.5	17.0	13.0	25.0	20.0	55.0
2607012	13.0	17.0	13.0	25.0	20.0	58.0
2607016	17.0	17.0	13.0	28.0	20.0	64.0
2609508	8.4	20.0	15.0	29.0	23.0	69.0
2609510	10.5	20.0	15.0	29.0	23.0	69.0
2609512	13.0	20.0	15.0	29.0	23.0	69.0
2609516	17.0	20.0	15.0	29.0	23.0	69.0
2612010	10.5	22.0	17.0	32.0	25.0	73.0
2612012	13.0	22.0	17.0	32.0	25.0	73.0
2612016	17.0	22.0	17.0	32.0	25.0	73.0
2615010	10.5	25.0	19.0	36.0	30.0	80.0
2615012	13.0	25.0	19.0	36.0	30.0	80.0
2615016	17.0	25.0	19.0	36.0	30.0	80.0
2615020	21.0	25.0	19.0	36.0	30.0	87.0
2618510	10.5	27.0	21.0	39.0	35.0	86.0
2618512	13.0	27.0	21.0	39.0	35.0	86.0
2618516	17.0	27.0	21.0	39.0	35.0	86.0
2618520	21.0	27.0	21.0	39.0	35.0	93.0
2624010	10.5	30.0	24.0	44.0	35.0	95.0
2624012	13.0	30.0	24.0	44.0	35.0	95.0
2624016	17.0	30.0	24.0	44.0	35.0	95.0

2624020	21.0	30.0	24.0	44.0	35.0	95.0
2630010	10.5	32.0	26.0	47.0	42.0	114.0
2630012	13.0	32.0	26.0	47.0	42.0	114.0
2630016	17.0	32.0	26.0	47.0	42.0	114.0
2630020	21.0	32.0	26.0	47.0	42.0	114.0
2630024	26.0	32.0	26.0	47.0	42.0	114.0
2640012	13.0	36.0	30.0	54.0	48.0	126.0
2640016	17.0	36.0	30.0	54.0	48.0	126.0
2640020	21.0	36.0	30.0	54.0	48.0	126.0
2640024	26.0	36.0	30.0	54.0	48.0	126.0
2650020	21.0	42.0	33.0	61.0	47.0	134.0
2650024	26.0	42.0	33.0	61.0	47.0	134.0
2663020	21.0	53.0	39.0	75.0	68.0	180.0
2663024	26.0	53.0	39.0	75.0	68.0	180.0

LYF45° Copper Tube Terminals




Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2701006	6.5	8.0	5.0	13.0	19.0	18.0
2701008	8.4	8.0	5.0	13.5	19.0	20.5
2701606	6.5	9.0	6.0	13.0	23.0	18.0
2701608	8.4	9.0	6.0	13.5	23.0	20.5
2702506	6.5	11.0	8.0	17.0	24.0	18.0
2702508	8.4	11.0	8.0	17.0	24.0	20.5
2702510	10.5	11.0	8.0	17.0	24.0	25.0
2703506	6.5	13.0	9.0	18.0	30.0	18.0
2703508	8.4	13.0	9.0	18.0	30.0	20.5
2703510	10.5	13.0	9.0	18.0	30.0	25.0
2705008	8.4	14.5	11.0	21.0	31.0	26.0
2705010	10.5	14.5	11.0	21.0	31.0	30.0
2705012	13.0	14.5	11.0	21.0	31.0	32.0
2707008	8.4	17.0	13.0	25.0	35.0	26.0
2707010	10.5	17.0	13.0	25.0	35.0	30.0
2707012	13.0	17.0	13.0	25.0	35.0	32.0
2709510	10.5	20.0	15.0	29.0	40.0	30.0
2709512	13.0	20.0	15.0	29.0	40.0	32.0
2709516	17.0	20.0	15.0	29.0	40.0	36.0

2712010	10.5	22.0	17.0	32.0	43.0	30.0
2712012	13.0	22.0	17.0	32.0	43.0	32.0
2712016	17.0	22.0	17.0	32.0	43.0	36.0

LYF90° Copper Tube Terminals



+

Parameter


PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L1
2801006	6.5	8.0	5.0	13.0	15.0	18.0
2801008	8.4	8.0	5.0	13.5	15.0	20.5
2801606	6.5	9.0	6.0	13.0	17.0	18.0
2801608	8.4	9.0	6.0	13.5	17.0	20.5
2802506	6.5	11.0	8.0	17.0	18.5	18.0
2802508	8.4	11.0	8.0	17.0	18.5	20.5
2802510	10.5	11.0	8.0	17.0	18.5	25.0
2803506	6.5	13.0	9.0	18.0	22.5	18.0
2803508	8.4	12.0	8.5	17.0	22.5	20.5
2803510	10.5	13.0	9.0	18.0	22.5	25.0
2805006	6.5	14.5	11.0	21.0	30.5	26.0
2805008	8.4	14.5	11.0	21.0	30.5	26.0
2805010	10.5	14.5	11.0	21.0	30.5	30.0
2805012	13.0	14.5	11.0	21.0	30.5	32.0
2807006	6.5	17.0	13.0	25.0	31.5	26.0
2807008	8.4	16.5	12.0	24.0	31.5	26.0
2807010	10.5	17.0	13.0	25.0	31.5	30.0
2807012	13.0	17.0	13.0	25.0	31.5	32.0
2809508	8.4	20.0	15.0	29.0	32.5	26.0

2809510	10.5	20.0	15.0	29.0	32.5	30.0
2809512	13.0	20.0	15.0	29.0	32.5	32.0
2809516	17.0	20.0	15.0	29.0	32.5	36.0
2812010	10.5	22.0	17.0	32.0	34.5	30.0
2812012	13.0	22.0	17.0	32.0	34.5	32.0
2812016	17.0	22.0	17.0	32.0	34.5	36.0

GPH Copper Tube Terminals



GPH



Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2900103	3.2	3.3	1.8	6.5	6.0	15.5
2900104	4.3	3.3	1.8	6.5	6.0	17.5
2900105	5.3	3.3	1.8	9.0	6.0	19.0
2900106	6.4	3.3	1.8	9.0	6.0	22.5
2900204	4.3	4.2	2.2	7.5	6.0	17.1
2900205	5.3	4.2	2.2	8.5	6.0	19.2
2900206	6.4	4.2	2.2	9.5	6.0	22.8
2900208	8.4	4.2	2.2	13.0	6.0	28.0
2900404	4.3	5.0	3.0	8.5	8.0	21.8
2900405	5.3	5.0	3.0	9.0	8.0	22.2
2900406	6.4	5.0	3.0	10.0	8.0	22.2
2900605	5.3	6.5	3.5	10.0	11.0	28.2
2900606	6.4	6.5	3.5	12.0	11.0	29.1
2900608	8.4	6.5	3.5	15.0	11.0	31.8
2900610	10.5	6.5	3.5	17.0	11.0	37.0
2901005	5.3	7.0	4.5	12.0	11.0	28.1
2901006	6.4	7.0	4.5	12.0	11.0	29.0
2901008	8.4	7.0	4.5	14.5	10.0	33.3
2901010	10.5	7.0	4.5	16.0	11.0	36.9

2901605	5.3	8.5	5.5	12.0	14.0	33.1
2901606	6.4	8.5	5.5	12.5	14.0	33.5
2901608	8.4	8.5	5.5	13.8	14.0	38.0
2901610	10.5	8.5	5.5	17.0	14.0	42.0
2901612	13.2	8.5	5.5	20.0	14.0	44.5
2902506	6.4	10.0	7.0	14.0	15.0	34.6
2902508	8.4	10.0	7.0	16.0	15.0	39.0
2902510	10.5	10.0	7.0	18.0	15.0	44.5
2902512	13.2	10.0	7.0	20.0	15.0	47.0
2903506	6.4	12.0	8.5	16.7	16.0	38.0

Parameter 2


PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
2903508	8.4	12.0	8.5	17.5	17.0	43.0
2903510	10.5	12.0	8.5	18.5	16.0	46.0
2903512	13.2	12.0	8.5	21.3	16.0	50.0
2905008	8.4	14.0	10.0	21.0	19.0	47.0
2905010	10.5	14.0	10.0	21.0	19.0	51.2
2905012	13.2	14.0	10.0	21.5	19.0	52.0
2907008	8.4	16.5	12.0	23.2	21.0	52.0
2907010	10.5	16.5	12.0	23.2	21.0	52.0
2907012	13.2	16.5	12.0	23.2	21.0	55.7
2909508	8.4	18.0	13.5	25.6	25.0	59.0
2909510	10.5	18.0	13.5	25.6	25.0	59.0
2909512	13.2	18.0	13.5	25.6	25.0	61.0
2912010	10.5	19.5	15.0	28.2	27.0	68.0
2912012	13.2	19.5	15.0	28.2	27.0	68.0
2912016	17.0	19.5	15.0	30.0	27.0	74.0
2915010	10.5	21.2	16.5	30.6	30.0	71.0
2915012	13.2	21.2	16.5	30.6	30.0	71.0
2915016	17.0	21.2	16.5	30.6	30.0	77.0
2918510	10.5	24.2	19.0	35.1	32.0	79.0

2918512	13.2	24.2	19.0	35.1	32.0	79.0
2918516	17.0	24.2	19.0	35.1	32.0	83.0
2924012	13.2	26.2	21.0	37.7	36.0	89.0
2924016	17.0	26.2	21.0	37.7	36.0	89.0
2924020	21.0	26.2	21.0	37.7	36.0	95.0
2930012	13.2	30.2	24.0	44.0	44.0	110.0
2930016	17.0	30.2	24.0	44.0	44.0	110.0
2930020	21.0	30.2	24.0	44.0	44.0	110.0
2940016	17.0	33.7	27.5	49.0	50.0	119.0
2940020	21.0	33.7	27.5	49.0	50.0	119.0

DIN46235 Copper Tube Terminals



DIN35-10



Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
3000605	5.3	5.5	3.8	8.5	10.0	30.5
3000606	6.4	5.5	3.8	8.5	10.0	31.5
3000608	8.4	5.5	3.8	13.0	10.0	34.0
3001005	5.3	6.0	4.5	9.0	10.0	34.0
3001006	6.4	6.0	4.5	9.0	10.0	34.5
3001008	8.4	6.0	4.5	13.0	10.0	37.0
3001010	10.5	6.0	4.5	15.0	10.0	39.0
3001606	6.4	8.5	5.5	13.0	20.0	43.5
3001608	8.4	8.5	5.5	13.0	20.0	46.0
3001610	10.5	8.5	5.5	17.0	20.0	48.0
3001612	13.0	8.5	5.5	18.0	20.0	49.0
3002506	6.4	10.0	7.0	14.0	20.0	45.5
3002508	8.4	10.0	7.0	16.0	20.0	48.0
3002510	10.5	10.0	7.0	17.0	20.0	50.0
3002512	13.0	10.0	7.0	19.0	20.0	51.0
3003506	6.4	12.5	8.2	17.0	20.0	49.5
3003508	8.4	12.5	8.2	17.0	20.0	52.0
3003510	10.5	12.5	8.2	19.0	20.0	54.0
3003512	13.0	12.5	8.2	21.0	20.0	55.0


3003514	15.0	12.5	8.2	21.0	20.0	56.5
3005008	8.4	14.5	10.0	20.0	28.0	62.0
3005010	10.5	14.5	10.0	22.0	28.0	64.0
3005012	13.0	14.5	10.0	24.0	28.0	65.0
3005014	15.0	14.5	10.0	24.0	28.0	66.5
3005016	17.0	14.5	10.0	28.0	28.0	68.0
3007008	8.4	16.5	11.5	24.0	28.0	65.0
3007010	10.5	16.5	11.5	24.0	28.0	67.0
3007012	13.0	16.5	11.5	24.0	28.0	68.0
3007014	15.0	16.5	11.5	24.0	28.0	69.5
3007016	17.0	16.5	11.5	30.0	28.0	71.0
3009508	8.4	19.0	13.5	28.0	35.0	77.0
3009510	10.5	19.0	13.5	28.0	35.0	77.0
3009512	13.0	19.0	13.5	28.0	35.0	78.0
3009514	15.0	19.0	13.5	28.0	35.0	79.5
3009516	17.0	19.0	13.5	32.0	35.0	81.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
3012010	10.5	21.0	15.5	32.0	35.0	85.0
3012012	13.0	21.0	15.5	32.0	35.0	86.0
3012014	15.0	21.0	15.5	32.0	35.0	88.0
3012016	17.0	21.0	15.5	32.0	35.0	89.0
3012020	21.0	21.0	15.5	38.0	35.0	91.0
3015010	10.5	23.5	17.0	34.0	35.0	93.0
3015012	13.0	23.5	17.0	34.0	35.0	94.0
3015014	15.0	23.5	17.0	34.0	35.0	97.0
3015016	17.0	23.5	17.0	34.0	35.0	97.0
3015020	21.0	23.5	17.0	40.0	35.0	99.0
3018510	10.5	25.5	19.0	37.0	40.0	97.0
3018512	13.0	25.5	19.0	37.0	40.0	98.0
3018514	15.0	25.5	19.0	37.0	40.0	101.0
3018516	17.0	25.5	19.0	37.0	40.0	101.0
3018520	21.0	25.5	19.0	40.0	40.0	103.0
3024012	13.0	29.0	21.5	42.0	40.0	108.0
3024014	15.0	29.0	21.5	42.0	40.0	111.0
3024016	17.0	29.0	21.5	42.0	40.0	111.0
3024020	21.0	29.0	21.5	45.0	40.0	113.0

3030012	13.0	32.0	24.5	46.0	50.0	119.0
3030014	15.0	32.0	24.5	46.0	50.0	119.0
3030016	17.0	32.0	24.5	46.0	50.0	119.0
3030020	21.0	32.0	24.5	46.0	50.0	122.0
3040014	15.0	38.5	27.5	55.0	70.0	140.0
3040016	17.0	38.5	27.5	55.0	70.0	140.0
3040020	21.0	38.5	27.5	55.0	70.0	140.0
3050016	17.0	42.0	31.0	60.0	70.0	150.0
3050020	21.0	42.0	31.0	60.0	70.0	150.0
3062516	17.0	44.0	34.5	64.0	80.0	160.0
3062520	21.0	44.0	34.5	64.0	80.0	160.0
3080016	17.0	52.0	40.0	75.0	100.0	195.0
3080020	21.0	52.0	40.0	75.0	100.0	195.0

TU Bell-Mouth Copper Tube Terminals



+

Parameter 1

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
3101005	5.3	6.9	4.4	10.5	9.0	27.0
3101006	6.4	6.9	4.4	10.5	9.0	27.0
3101008	8.4	6.9	4.4	14.0	10.0	35.0
3101010	10.4	6.9	4.4	16.0	10.0	39.0
3101012	12.8	6.9	4.4	18.0	10.0	39.0
3101605	5.3	8.0	5.6	11.0	11.0	29.5
3101606	6.4	8.0	5.6	11.0	11.0	29.5
3101608	8.4	8.0	5.6	14.0	11.0	38.0
3101610	10.4	8.0	5.6	16.0	11.0	42.0
3101612	12.8	8.0	5.6	18.0	11.0	42.0
3102505	5.3	9.5	7.0	13.5	13.0	40.0
3102506	6.4	9.5	7.0	13.5	13.0	40.0
3102508	8.4	9.5	7.0	13.5	13.0	40.0
3102510	10.4	9.5	7.0	16.0	13.0	44.0
3102512	12.8	9.5	7.0	18.0	13.0	44.0
3103505	5.3	11.0	8.2	15.5	14.0	41.0
3103506	6.4	11.0	8.2	15.5	14.0	41.0
3103508	8.4	11.0	8.2	15.5	14.0	41.0
3103510	10.4	11.0	8.2	15.5	14.0	45.0


3103512	12.8	11.0	8.2	18.0	14.0	45.0
3103514	14.5	11.0	8.2	20.0	14.0	50.0
3105005	5.3	12.1	9.5	17.2	18.0	46.0
3105006	6.4	12.1	9.5	17.2	18.0	46.0
3105008	8.4	12.1	9.5	17.2	18.0	46.0
3105010	10.4	12.1	9.5	17.2	18.0	50.0
3105012	12.8	12.1	9.5	17.2	18.0	50.0
3105014	14.5	12.1	9.5	20.0	18.0	55.0
3105016	16.5	12.1	9.5	22.0	18.0	55.0
3107005	5.3	15.0	11.5	21.2	18.0	48.0
3107006	6.4	15.0	11.5	21.2	18.0	48.0
3107008	8.4	15.0	11.5	21.2	18.0	48.0
3107010	10.4	15.0	11.5	21.2	18.0	52.0
3107012	12.8	15.0	11.5	21.2	18.0	52.0
3107014	14.5	15.0	11.5	21.2	18.0	63.0

Parameter 2

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
3107016	16.5	15.0	11.5	21.2	18.0	63.0
3109508	8.4	17.0	13.5	24.3	24.0	58.0
3109510	10.4	17.0	13.5	24.3	24.0	58.0
3109512	12.8	17.0	13.5	24.3	24.0	58.0
3109514	14.5	17.0	13.5	24.3	24.0	69.0
3109516	16.5	17.0	13.5	24.3	24.0	69.0
3112008	8.4	19.0	15.0	27.2	27.0	73.0
3112010	10.4	19.0	15.0	27.2	27.0	73.0
3112012	12.8	19.0	15.0	27.2	27.0	73.0
3112014	14.5	19.0	15.0	27.2	27.0	73.0
3112016	16.5	19.0	15.0	27.2	27.0	73.0
3112020	21.0	19.0	15.0	27.2	27.0	73.0
3115008	8.4	21.0	16.5	30.0	27.0	78.0
3115010	10.4	21.0	16.5	30.0	27.0	78.0
3115012	12.8	21.0	16.5	30.0	27.0	78.0
3115014	14.5	21.0	16.5	30.0	27.0	78.0
3115016	16.5	21.0	16.5	30.0	27.0	78.0
3115020	21.0	21.0	16.5	30.0	27.0	78.0
3118510	10.4	23.0	18.5	33.5	30.0	82.0

3118512	12.8	23.0	18.5	33.5	30.0	82.0
3118514	14.5	23.0	18.5	33.5	30.0	82.0
3118516	16.5	23.0	18.5	33.5	30.0	82.0
3118520	21.0	23.0	18.5	33.5	30.0	82.0
3124010	10.4	26.0	21.0	37.7	32.0	88.0
3124012	12.8	26.0	21.0	37.7	32.0	88.0
3124014	14.5	26.0	21.0	37.7	32.0	88.0
3124016	16.5	26.0	21.0	37.7	32.0	88.0
3124020	21.0	26.0	21.0	37.7	32.0	88.0
3130010	10.4	28.0	23.0	41.0	37.0	97.0
3130012	12.8	28.0	23.0	41.0	37.0	97.0
3130014	14.5	28.0	23.0	41.0	37.0	97.0
3130016	16.5	28.0	23.0	41.0	37.0	97.0
3130020	21.0	28.0	23.0	41.0	37.0	97.0

AWG Copper Tube Terminals



Parameter


PART NO 2015-2018	DIMENSIONS					
	φE	ΦD	Φd	W	B	L
3200805	5.1	7.1	4.8	11.8	13.0	33.3
3200806	6.8	7.1	4.8	11.8	13.0	33.3
3200808	8.3	7.1	4.8	11.8	13.0	33.3
3200810	10.4	7.1	4.8	14.5	13.0	33.3
3200812	13.1	7.1	4.8	17	13.0	33.3
3201405	5.1	8.1	5.9	11.8	15.0	37.3
3201406	6.8	8.1	5.9	13.7	15.0	37.3
3201408	8.3	8.1	5.9	13.7	15.0	37.3
3201410	10.4	8.1	5.9	13.7	15.0	37.3
3201412	13.1	8.1	5.9	17	14.0	37.3
3202206	6.8	9.5	7.3	13.8	15.5	38.9
3202208	8.3	9.5	7.3	13.8	15.5	38.9
3202210	10.4	9.5	7.3	14.5	15.5	38.9
3202212	13.1	9.5	7.3	17	15.0	38.9
3203806	6.8	11.1	8.5	16.5	16.0	41.1
3203808	8.3	11.1	8.5	16.5	16.0	41.1
3203810	10.4	11.1	8.5	16.5	16.0	41.1
3203812	13.1	11.1	8.5	17	15.3	41.1
3205006	6.8	11.7	9.1	16.4	16.0	43.6

3205008	8.3	11.7	9.1	16.4	16.0	43.6
3205010	10.4	11.7	9.1	17.1	16.0	43.6
3205012	13.1	11.7	9.1	19.1	16.0	43.6
3206006	6.8	13	10.4	18.4	19.0	46.8
3206008	8.3	13	10.4	18.4	19.0	46.8
3206010	10.4	13	10.4	18.4	19.0	46.8
3206012	13.1	13	10.4	21	19.0	46.8
3207006	6.8	14.2	11.7	21	22.0	52.4
3207008	8.3	14.2	11.7	21	22.0	52.4
3207010	10.4	14.2	11.7	21	22.0	52.4
3207012	13.1	14.2	11.7	21	21.0	52.4
3208008	8.3	15.7	13	23.1	22.5	55.9
3208008	10.4	15.7	13	23.1	22.5	55.9
3208012	13.1	15.7	13	23.1	22.5	55.9
3210008	8.3	17.2	14.2	25.8	24.0	60.5
3210010	10.4	17.2	14.2	25.8	24.0	60.5
3210012	13.1	17.2	14.2	25.8	24.0	60.5

AD Copper Tube Terminals




AD35-10



Parameter

PART NO 2015-2018	ITEM NO	DIMENSIONS						
		φE	ΦD	Φd	W	B	L	H
3403808	AD38-8	9.0	11.7	9.5	17.5	12.5	65.8	25.4
3406010	AD60-10	11.0	14.4	11.9	21.3	14.5	74.7	25.4
3408010	AD80-10	11.0	17.9	14.9	26.7	19.5	82.3	25.4
3410010	AD100-10	11.0	20.1	16.8	29.7	19.5	86.6	25.4
3412510	AD125-10	11.0	21.3	17.8	32.0	19.5	89.7	25.4
3415010	AD150-10	11.0	23.4	19.6	35.0	22.8	94.5	25.4
3418512	AD185-12	14.0	25.3	21.1	37.8	23.8	117.0	44.5
3420012	AD200-12	14.0	27.0	22.5	40.4	24.8	119.6	44.5
3425012	AD250-12	14.0	30.2	25.2	45.2	26.8	120.7	44.5
3432512	AD325-12	14.0	33.1	27.6	49.2	36.0	130.2	44.5
3440012	AD400-12	14.0	38.2	31.8	56.9	40.0	136.8	44.5
3450012	AD500-12	14.0	42.7	35.6	63.5	43.0	147.5	44.5

GPH90° Copper Tube Terminals



Parameter

PART NO	DIMENSIONS					
	φE	ΦD	Φd	W	L2	L1
3300605	5.3	6.5	3.5	10.0	14.0	22.5
3300606	6.4	6.5	3.5	12.0	14.0	24.0
3300608	8.5	6.5	3.5	15.0	14.0	27.5
3300610	10.5	6.5	3.5	16.0	14.0	29.5
3301005	5.3	7.0	4.5	12.0	16.0	23.0
3301006	6.4	7.0	4.5	12.0	16.0	24.0
3301008	8.5	7.0	4.5	15.0	16.0	28.0
3301010	10.5	7.0	4.5	18.0	16.0	29.5
3301605	5.3	8.5	5.5	12.0	20.0	22.5
3301606	6.4	8.5	5.5	14.0	20.0	24.0
3301608	8.5	8.5	5.5	15.0	20.0	28.0
3301610	10.5	8.5	5.5	18.0	20.0	31.0
3301612	13.0	8.5	5.5	19.0	20.0	32.0
3302506	6.4	10.0	6.9	15.0	21.0	27.5
3302508	8.4	10.0	6.9	16.0	21.0	32.5
3302510	10.5	10.0	6.9	18.0	21.0	32.5
3302512	13.0	10.0	6.9	19.0	21.0	34.0
3303506	6.4	12.0	8.5	17.0	24.0	28.5
3303508	8.5	12.0	8.5	17.0	24.0	34.0


3303510	10.5	12.0	8.5	20.0	24.0	34.0
3303512	13.0	12.0	8.5	22.0	24.0	40.5
3305006	6.4	14.0	10.0	20.0	28.5	37.0
3305008	8.4	14.0	10.0	20.0	28.5	40.5
3305010	10.5	14.0	10.0	20.0	28.5	40.5
3305012	13.0	14.0	10.0	23.0	28.5	42.5
3305016	17.0	14.0	10.0	28.0	28.5	50.5
3307008	8.5	16.5	12.0	24.0	31.0	43.0
3307010	10.5	16.5	12.0	24.0	31.0	43.0
3307012	13.0	16.5	12.0	24.0	31.0	44.5
3307016	17.0	16.5	12.0	28.0	31.0	53.0
3307020	21.0	16.5	12.0	30.0	31.0	59.0
3309508	8.5	18.0	13.5	26.0	35.0	44.5
3309510	10.5	18.0	13.5	26.0	35.0	44.5
3309512	13.0	18.0	13.5	26.0	35.0	46.5
3309516	17.0	18.0	13.5	28.0	35.0	52.0
3309520	21.0	18.0	13.5	30.5	35.0	59.0
3312010	10.5	19.5	15.0	29.0	35.5	49.0
3312012	13.0	19.5	15.0	29.0	35.5	49.0
3312016	17.0	19.5	15.0	29.0	35.5	55.0
3312020	21.0	19.5	15.0	30.5	35.5	61.0
3315010	10.5	21.0	16.5	31.0	40.0	48.0
3315012	13.0	21.0	16.5	31.0	40.0	51.0
3315016	17.0	21.0	16.5	31.0	40.0	56.0

3315020	21.0	21.0	16.5	34.0	40.0	61.5
3318512	13.0	24.0	19.0	35.0	46.0	58.5
3318516	17.0	24.0	19.0	35.0	46.0	58.5
3318520	21.0	24.0	19.0	35.0	46.0	65.0
3324012	13.0	26.0	21.0	40.0	50.0	54.0
3324016	17.0	26.0	21.0	40.0	50.0	60.0
3324020	21.0	26.0	21.0	40.0	50.0	67.8
3330012	13.0	29.5	23.5	43.0	59.0	74.5
3330016	17.0	29.5	23.5	43.0	59.0	64.0
3330020	21.0	29.5	23.5	43.0	59.0	70.5
3340012	13.0	34.0	27.0	49.0	62.0	79.0
3340016	17.0	34.0	27.0	49.0	62.0	68.5
3340020	21.0	34.0	27.0	49.0	62.0	75.0

L Butt Connectors



AWG35-90



+

Parameter 1

PART NO	DIMENSIONS		
	ΦD	Φd	L
35001L	3.7	1.8	20.0
35002L	4.0	2.4	20.0
35004L	4.8	3.1	20.0
35006L	5.5	3.8	20.0
35010L	6.2	4.5	20.0
35016L	7.1	5.4	40.0
35025L	8.8	6.8	45.0
35035L	10.6	8.2	45.0
35050L	12.4	9.5	45.0
35070L	14.7	11.2	50.0
35095L	17.4	13.5	50.0
35120L	19.4	15.0	55.0
35150L	21.2	16.5	60.0
35185L	23.5	18.5	65.0
35240L	26.5	21.0	80.0
35300L	30.0	23.5	85.0
35400L	36.5	28.5	90.0
35500L	39.0	30.0	100.0
35550L	41.4	31.7	100.0

35630L	45.0	35.0	110.0
35800L	50.6	39.0	150.0
35001LA	3.6	1.8	20.0
35002LA	3.9	2.4	20.0
35004LA	4.7	3.1	20.0
35006LA	5.4	3.8	20.0
35010LA	6.1	4.5	20.0
35016LA	7.0	5.4	40.0
35025LA	8.6	6.8	45.0
35035LA	10.4	8.2	45.0
35050LA	12.2	9.5	45.0
35070LA	14.4	11.2	50.0
35095LA	17.1	13.2	50.0
35120LA	19.0	15.0	55.0
35150LA	20.8	16.5	60.0
35185LA	23.1	18.5	65.0
35240LA	26.0	21.0	80.0
35300LA	29.4	23.5	85.0
35400LA	35.8	28.5	90.0
35500LA	38.2	30.0	100.0

Parameter 2


PART NO	DIMENSIONS		
	ΦD	Φd	L
35630LA	44.1	35.0	110.0
35001LB	3.4	1.8	20.0
35002LB	3.7	2.4	20.0
35004LB	4.5	3.1	20.0
35006LB	5.2	3.8	20.0
35010LB	5.9	4.5	20.0
35016LB	6.8	5.4	40.0
35025LB	8.4	6.8	45.0
35035LB	10.2	8.2	45.0
35050LB	11.9	9.5	45.0
35070LB	14.1	11.2	50.0
35095LB	16.7	13.5	50.0
35120LB	18.6	15.0	55.0
35150LB	20.4	16.5	60.0
35185LB	22.6	18.5	65.0
35240LB	25.5	21.0	80.0
35300LB	28.8	23.5	85.0
35400LB	35.1	28.5	90.0
35500LB	37.4	30.0	100.0

35630LB	43.2	35.0	110.0
35001LC	3.3	1.8	20.0
35002LC	3.6	2.4	20.0
35004LC	4.4	3.1	20.0
35006LC	5.1	3.8	20.0
35010LC	5.8	4.5	20.0
35016LC	6.6	5.4	40.0
35025LC	8.3	6.8	45.0
35035LC	10.0	8.2	45.0
35050LC	11.6	9.5	45.0
35070LC	13.8	11.2	50.0
35095LC	16.4	13.5	50.0
35120LC	18.2	15.0	55.0
35150LC	19.9	16.5	60.0
35185LC	22.1	18.5	65.0
35240LC	25.0	21.0	80.0
35300LC	28.2	23.5	85.0
35400LC	34.3	28.5	90.0
35500LC	36.5	30.0	100.0
35630LC	42.2	35.0	110.0

Non-Insulated Ring Terminals



NON



+


Parameter

PART NO	WIRE RANGE		DIMENSIONS						
	AWG/MCM	mm2	ΦE	ΦD	Φd	W	B	L	T
3600103	22-16	0.25-1.65	3.7	3.4	1.7	5.5	4.5	11.5	0.8
3600103A			3.2	3.4	1.7	5.5	4.5	11.5	
3600103M			3.7	3.4	1.7	6.6	4.5	14.4	
3600104			4.3	3.4	1.7	8.0	4.5	15.8	
3600104M			4.3	3.4	1.7	6.6	4.5	14.4	
3600105			5.3	3.4	1.7	8.0	4.5	15.8	
3600106			6.4	3.4	1.7	11.6	4.5	21.7	
3600108			8.4	3.4	1.7	11.6	4.5	21.7	
3600110			10.5	3.4	1.7	13.6	4.5	26.0	
3600203A	16-14	1.04-2.63	3.2	4.0	2.3	8.5	4.8	16.8	0.8
3600203			3.7	4.0	2.3	8.5	4.8	16.8	
3600203M			3.7	4.0	2.3	6.6	4.8	14.4	
3600204			4.3	4.0	2.3	8.5	4.8	16.8	
3600204M			4.3	4.0	2.3	6.6	4.8	14.4	
3600205			5.3	4.0	2.3	9.5	4.8	16.8	
3600206			6.4	4.0	2.3	12.0	4.8	21.8	
3600207			7.1	4.0	2.3	12.0	4.8	21.8	
3600208			8.4	4.0	2.3	12.0	4.8	21.8	
3600210			10.5	4.0	2.3	13.6	4.8	25.5	

3600404	12-10	2.63-4.60	4.3	5.0	3.2	9.5	6.8	20.0	0.8
3600405			5.3	5.0	3.2	9.5	6.8	20.0	
3600406			6.4	5.0	3.2	12.0	6.8	21.4	
3600408			8.4	5.0	3.2	12.0	6.8	21.4	
3600603	8	4.60-6.64	3.7	5.6	3.5	9.5	6.8	19.8	1.0
3600604			4.3	5.6	3.5	9.5	6.8	19.8	
3600605			5.3	5.6	3.5	9.5	6.8	19.8	
3600606			6.4	5.6	3.5	12.0	6.8	25.8	
3600606S			6.4	5.6	3.5	12.0	6.8	22.5	
3600608			8.4	5.6	3.5	15.0	6.8	28.0	
3600610			10.5	5.6	3.5	15.0	6.8	28.0	
3600803	8	6.64-10.52	3.7	7.0	4.5	10.0	8.0	21.0	1.15
3600804			4.3	7.0	4.5	10.0	8.0	21.0	
3600805			5.3	7.0	4.5	10.0	8.0	21.0	
3600806			6.4	7.0	4.5	11.0	8.0	22.5	
3600808			8.4	7.0	4.5	14.0	8.0	27.0	
3600810			10.5	7.0	4.5	18.0	8.0	30.0	
3600812			13.0	7.0	4.5	18.0	8.0	30.0	
3601405	6	10.52-16.78	5.3	8.5	5.9	11.0	11.0	25.5	1.2
3601406			6.4	8.5	5.9	11.0	11.0	25.5	
3601408			8.4	8.5	5.9	14.0	11.0	31.0	
3601410			10.5	8.5	5.9	18.0	11.0	33.0	
3601412			13.0	8.5	5.9	18.0	11.0	33.0	
3602206	4	16.78-26.66	6.4	11.0	7.8	12.0	11.0	31.0	1.5

3602208			8.4	11.0	7.8	16.0	11.0	34.0	
3602210			10.5	11.0	7.8	18.0	11.0	35.0	
3602212			13.0	11.0	7.8	18.0	11.0	35.0	
3603806	2	26.66-42.42	6.4	13.0	9.6	15.3	14.0	37.7	1.6
3603808			8.4	13.0	9.6	15.3	14.0	37.7	
3603810			10.5	13.0	9.6	15.3	14.0	37.7	
3603812			13.0	13.0	9.6	22.0	14.0	43.0	
3606008	0	42.42-60.57	8.4	15.3	11.9	22.0	17.0	44.0	1.7
3606010			10.5	15.3	11.9	22.0	17.0	44.0	
3606012			13.0	15.3	11.9	22.0	17.0	44.0	

Non-Ring Terminals DIN46234



+

Parameter

PART NO	WIRE RANGE		SIZE					
	AWG/MCM	MM2	E	d	W	B	T	L
3700203	16-14	1.5-2.5	3.2	2.3	6.0	5.0	0.8	14.0
3700204			4.3		8.0			16.0
3700205			5.3		10.0			19.0
3700206			6.5		11.0			21.5
3700208			8.4		14.0			24.0
3700606	12-10	4-6	4.3	3.6	8.0	6.0	1.0	18.0
3700605			5.3		10.0			20.0
3700606			6.5		11.0			21.5
3700608			8.4		14.0			26.0
3700610			10.5		18.0			30.0
3701005	8	10	5.3	4.5	10.0	8.0	1.1	21.0
3701006			6.5		11.0			22.5
3701008			8.4		14.0			27.0
3701010			10.5		18.0			30.0
3701012			13.0		22.0			34.0
3701605	6	16	5.3	5.8	11.0	10.0	1.2	25.5
3701606			6.5		11.0			25.5
3701608			8.4		14.0			29.0
3701610			10.5		18.0			33.0


3701612			13.0		22.0			37.0
3702505	4	25	5.3	7.5	12.0	11.0	1.5	31.0
3702506			6.5		12.0			31.0
3702508			8.4		16.0			33.0
3702510			10.5		18.0			35.0
3702512			13.0		22.0			42.0
3702516			17.0		28.0			49.0
3703506	2	35	6.5	9.0	15.0	12.0	1.6	33.5
3703508			8.4		16.0			34.0
3703510			10.5		18.0			36.0
3703512			13.0		22.0			42.0
3703516			17.0		28.0			50.0
3705006	1/0	50	6.5	11.0	18.0	16.0	1.8	43.0
3705008			8.4		18.0			43.0
3705010			10.5		18.0			43.0
3705012			13.0		22.0			47.0
3705016			17.0		28.0			54.0
3707006	2/0	70	6.5	13.0	22.0	18.0	2.0	49.0
3707008			8.4		22.0			49.0
3707010			10.5		22.0			49.0
3707012			13.0		22.0			49.0
3707016			17.0		28.0			56.0
3709508	3/0	95	8.4	15.0	24.0	20.0	2.5	54.0
3709510			10.5		24.0			54.0

3709512			13.0		24.0			54.0
3709516			17.0		28.0			58.0
3712008	4/00	120	8.4	16.5	24.0	22.0	3.0	56.0
3712010			10.5		24.0			56.0
3712012			13.0		24.0			56.0
3712016			17.0		28.0			62.0
3715010	250/300	150	10.5	19.0	30.0	24.0	3.2	65.0
3715012			13.0		30.0			65.0
3715016			17.0		30.0			65.0
3718510	300/350	185	10.5	21.0	36.0	28.0	3.5	68.0
3718512			13.0		36.0			68.0
3718516			17.0		36.0			68.0
3724010	400/450	240	10.5	23.5	38.0	32.0	4.0	75.0
3724012			13.0		38.0			75.0
3724016			17.0		38.0			75.0

Non-Insulated Spad Terminals



NON



+

Parameter


PART NO	WIRE RANGE		DIMENSIONS						
	AWG/MCM	mm ²	ΦE	ΦD	Φd	W	B	L	T
3800103S	22-16	0.25-1.65	3.7	3.4	1.7	5.7	4.5	16.0	0.8
3800104W			3.7	3.4	1.7	6.2	4.5	16.0	
3800105SA			3.2	3.4	1.7	5.7	4.5	16.0	
3800104S			4.3	3.4	1.7	6.4	4.5	16.0	
3800104W			4.3	3.4	1.7	7.2	4.5	16.0	
3800105			5.3	3.4	1.7	8.0	4.5	16.0	
3800106			6.7	3.4	1.7	10.7	4.5	17.0	
3800203SA	16-14	1.04-2.63	3.2	4.0	2.3	5.7	4.5	16.0	0.8
3800203S			3.7	4.0	2.3	5.7	4.5	16.0	
3800203W			3.7	4.0	2.3	6.2	4.5	16.0	
3800204S			4.3	4.0	2.3	6.4	4.5	16.0	
3800204W			4.3	4.0	2.3	7.2	4.5	16.0	
3800205			5.3	4.0	2.3	8.0	4.5	16.0	
3800206			6.7	4.0	2.3	10.7	4.5	19.0	
3800404	12-10	2.63-4.60	4.3	5.0	3.2	8.0	6.3	18.0	0.8
3800405			5.3	5.0	3.2	8.0	6.3	18.0	
3800603	12-10	4.60-6.64	3.7	5.6	3.5	8.2	6.5	19.5	1.0
3800604			4.3	5.6	3.5	8.2	6.5	19.5	
3800605			5.3	5.6	3.5	9.0	6.5	19.5	

3800606			6.4	5.6	3.5	12.0	6.5	24.0	
3800805	8	6.64-10.52	5.3	7.0	4.5	9.0	8.6	23.5	1.15
3800806			6.7	7.0	4.5	12.0	8.6	24.0	
3801405	6	10.52-16.78	5.3	8.5	5.9	12.0	10.0	27.5	1.2
3801406			6.7	8.5	5.9	12.0	10.0	27.5	

Nylon-Insulated Ring Terminals



NYLON




Parameter

PART NO	WIRE RANGE		DIMENSIONS						COLOR
	AWG/MCM	mm ²	ΦE	ΦD	Φd	W	B	L	
3900103	22-16	0.25-1.65	3.7	4.3	1.7	5.5	11.3	18.2	RED
3900103A			3.2	4.3	1.7	5.5	11.3	18.2	
3900103M			3.7	4.3	1.7	6.6	11.3	21.2	
3900104			4.3	4.3	1.7	8.0	11.3	22.7	
3900104M			4.3	4.3	1.7	6.6	11.3	21.2	
3900105			5.3	4.3	1.7	8.0	11.3	22.7	
3900106			6.4	4.3	1.7	11.6	11.3	28.4	
3900108			8.4	4.3	1.7	11.6	11.3	28.4	
3900110			10.5	4.3	1.7	13.6	11.3	32.7	
3900203	16-14	1.04-2.63	3.7	4.6	2.3	8.5	11.3	23.2	BLUE
3900203A			3.2	4.6	2.3	8.5	11.3	23.2	
3900203M			3.7	4.6	2.3	6.6	11.3	20.7	
3900204			4.3	4.6	2.3	8.5	11.3	23.2	
3900204M			4.3	4.6	2.3	6.6	11.3	20.7	
3900205			5.3	4.6	2.3	9.5	11.3	23.2	
3900206			6.4	4.6	2.3	12.0	11.3	28.2	
3900208			8.4	4.6	2.3	12.0	11.3	28.2	
3900210			10.5	4.6	2.3	13.6	11.3	31.7	
3900603	12-10	4.60-6.64	3.7	6.6	3.5	9.5	14.1	27.1	YELLOW

3900604			4.3	6.6	3.5	9.5	14.1	27.1	
3900605			5.3	6.6	3.5	9.5	14.1	27.1	
3900606			6.4	6.6	3.5	12.0	14.1	33.1	
3900606S			6.4	6.6	3.5	12.0	14.1	29.8	
3900608			8.4	6.6	3.5	15.0	14.1	35.1	
3900610			10.5	6.6	3.5	15.0	14.1	35.1	
3900803	8	6.64-10.52	3.7	8.0	4.5	10.0	29.0	29.0	RED
3900804			4.3	8.0	4.5	10.0	29.0	29.0	
3900805			5.3	8.0	4.5	10.0	29.0	29.0	
3900806			6.4	8.0	4.5	10.0	29.0	30.5	
3900808			8.4	8.0	4.5	14.0	29.0	35.0	
3900810			10.5	8.0	4.5	18.0	29.0	38.0	
3900812			13.0	8.0	4.5	18.0	29.0	38.0	

Nylon-Insulated Spade Terminals



Parameter

PART NO 2015-2018	WIRE RANGE		DIMENSIONS						COLOR
	AWG/MCM	mm ²	ΦE	ΦD	Φd	W	B	L	
4000103S	22-16	0.25-1.65	3.7	4.3	1.7	5.7	11.3	22.7	RED
4000103SA			3.2	4.3	1.7	5.7	11.3	22.7	
4000103W			3.7	4.3	1.7	6.2	11.3	22.7	
4000104S			4.3	4.3	1.7	6.4	11.3	22.7	
4000104W			4.3	4.3	1.7	7.2	11.3	22.7	
4000105			5.3	4.3	1.7	8.0	11.3	22.7	
4000106			6.7	4.3	1.7	10.7	11.3	22.7	
4000203S	16-14	1.04-2.63	3.7	5.0	2.3	5.7	11.3	22.7	BLUE
4000203SA			3.2	5.0	2.3	5.7	11.3	22.7	
4000203W			3.7	5.0	2.3	6.2	11.3	22.7	
4000204S			4.3	5.0	2.3	6.4	11.3	22.7	
4000204W			4.3	5.0	2.3	7.2	11.3	22.7	
4000205			5.3	5.0	2.3	8.0	11.3	22.7	
4000206			6.7	5.0	2.3	10.7	11.3	25.7	
4000603	12-10	4.60-6.64	3.7	6.6	3.5	8.2	14.1	27.1	YELLOW
4000604			4.3	6.6	3.5	8.2	14.1	27.1	
4000605			5.3	6.6	3.5	9.0	14.1	27.1	
4000606			6.4	6.6	3.5	12.0	14.1	31.8	
4000805	8	8.64-10.52	5.3	8.0	4.5	9.0	16.0	30.9	RED
4000806			6.7	8.0	4.5	12.0	16.0	31.4	

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Празань (4912)46-61-64	Томск (3822)98-41-53
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Новобрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Колומна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Челябинск (351)202-03-61
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орен (4862)44-53-42	Сочи (862)225-72-31	Череповец (8202)49-02-64
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Чита (3022)38-34-83
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	
Казахстан +7(727)345-47-04	Беларусь + (375)257-127-884	Узбекистан +998(71)205-18-59	Кипр +996(312)96-26-47	